



Updated 15 September 2005

Journal of Quantitative Spectroscopy &
Radiative Transfer 88 (2004) 357–406

Journal of
Quantitative
Spectroscopy &
Radiative
Transfer

www.elsevier.com/locate/jqsrt

T-matrix theory of electromagnetic scattering by particles and its applications: a comprehensive reference database

Michael I. Mishchenko^{a,*}, Gordon Videen^b, Victor A. Babenko^c,
Nikolai G. Khlebtsov^d, Thomas Wriedt^e

^aNASA Goddard Institute for Space Studies, 2880 Broadway, New York, NY 10025, USA

^bUS Army Research Laboratory, AMSRL-IS-EE, 2800 Powder Mill Road, Adelphi, MD 20783-1197, USA

^cStepanov Institute of Physics, National Academy of Science of Belarus, Scaryna Ave. 68, 220072 Minsk, Belarus

^dInstitute of Biochemistry and Physiology of Plants and Microorganisms, Russian Academy of Sciences, 13 Entuziastov Ave.,
410015 Saratov, Russia

^eInstitut für Werkstofftechnik, Badgasteiner Str. 3, D-28359 Bremen, Germany

Abstract

The *T*-matrix method is one of the most powerful and widely used theoretical techniques for the computation of electromagnetic scattering by single and composite particles, discrete random media, and particles in the vicinity of an interface separating two half-spaces with different refractive indices. This paper presents a comprehensive database of *T*-matrix publications since the inception of the technique in 1965 through early 2004.

Keywords: Electromagnetic scattering; *T*-matrix method

1. Introduction

Since its formulation in 1965, the *T*-matrix method has become one of the most powerful, versatile, and popular theoretical techniques for treating electromagnetic, acoustic, and elastodynamic scattering by particles and surfaces. The most recent attempt to outline the vast realm of this technique and its practical applications by compiling a comprehensive publication database dates back to 1988 (Varadan et al., 1988); that list included 151 references. Although to attempt a similar compilation now would be very

* Corresponding author. Tel.: +1-212-678-5590; fax: +1-212-678-5622.

E-mail address: crmim@giss.nasa.gov (M.I. Mishchenko).

important, it is next to impossible. To make the task both useful and practicable, one has to be selective and to adhere firmly to well defined and meaningful guidelines. The three most important restrictions that we have adopted for this database are the following:

- With a few important exceptions, the database includes only publications dealing with electromagnetic scattering.
- As a rule, publications on scattering by isolated infinite cylinders and systems of parallel infinite cylinders in unbounded space are excluded.
- The database includes only references to books, peer-reviewed book chapters, and peer-reviewed journal papers.

Even with these restrictions, the database contains more than 700 references.

A critical issue that we faced at the outset of this project was to agree on a definition of the T -matrix method. The concept of a T matrix has evolved quite dramatically since it was first introduced by P.C. Waterman in 1965. From being a minor bi-product of the extended boundary condition method, it has become the centerpiece of a vast domain of wave scattering science. We hope that we will not step on too many toes by suggesting the following definition:

In the T -matrix method, the incident and scattered electric fields are expanded in series of suitable vector spherical wave functions, and the relation between the columns of the respective expansion coefficients is established by means of a transition matrix (or T matrix). This concept can be applied to the entire scatterer as well as to separate parts of a composite scatterer.

It is clear that in the framework of this definition, the classical Lorenz–Mie theory for homogeneous isotropic spheres and its generalizations for inhomogeneous spherically symmetric particles become a particular case of the T -matrix approach. Therefore, another inescapable restriction that we had to impose on this database was to exclude all references dealing with individual spherically symmetric scatterers. We hope that the reference list of the recent monograph by Babenko et al. (2003) will be at least a partial remedy for this deficiency.

In addition to compiling a unified masterlist of T -matrix publications on electromagnetic scattering by particles, we have tried to make the database more useful by classifying the various references into a set of narrower subject categories (Sections 2 and 3). Depending on the specific content of a publication, it may appear in one or several subject categories. The choice of the subject categories, especially categories such as *Seminal publications*, and assigning a publication to a category are somewhat subjective and are open to criticism. We feel, however, that the pros of this endeavor in terms of its utility to various categories of customers far outweigh its potential cons.

What we have not done in this paper is to assess the validity and importance of the results described in the specific publications included in the database. It is not inconceivable that some of the publications contain wrong results or duplicate results obtained in earlier publications. We believe that a critical assessment of the T -matrix publications should be the subject of a book or a review and is beyond the scope of this paper. Therefore, the reader should keep in mind that the inclusion of a publication in this database does not constitute any formal endorsement or quality certification on our part.

We realize that even with the restrictions adopted, it will be impossible to publish in a research journal another comprehensive database like this one even in a few years from now (see Fig. 1). However, we plan to maintain an updated version of this database on the web site <http://www.giss.nasa.gov/~crmim>




Fig. 1. Annual frequency distribution of the T -matrix publications.

and ask the readers to help us in this endeavor by sending corrections and missing references to existing and future publications on the T -matrix method and its various applications.

2. Particles in infinite homogeneous space

2.1. Seminal publications

This subsection references the publications in which the T -matrix method was originally developed as well as those in which a major generalization or improvement of the T -matrix method was proposed.

Bruning and Lo (1971a)

Khlebtsov (1992)

Lakhtakia et al. (1983)

Mackowski and Mishchenko (1996)

Mishchenko (1991a)

Peterson and Ström (1973)

Peterson and Ström (1974)

Rozenberg (1974)

Schulz et al. (1999a)

Tsang and Kong (1980)

Varadan and Varadan (1980a)

Varadan et al. (1979)

Waterman (1965)

Waterman (1969)

Waterman (1971)

2.2. Books

Barber and Hill (1990)	Tsang and Kong (2001)
Borghese et al. (2003)	Tsang et al. (1985)
Chew (1995)	Tsang et al. (2000)
Doicu et al. (2000c)	Tsang et al. (2001)
Mishchenko et al. (2002)	Varadan and Varadan (1980b)
Rozenberg (1974)	

2.3. Reviews

Barber (1980)	Mishchenko et al. (2000b)
Fuller and Mackowski (2000)	Ström and Zheng (1989)
Mishchenko et al. (1996b)	Waterman (1980)

2.4. Extended boundary condition method and its modifications and generalizations

Al-Badwaihyy and Yen (1975)	Iskander et al. (1983)
Babenko (1997)	Iskander et al. (1989b)
Babenko (1999)	Lakhtakia et al. (1983)
Barber and Yeh (1975)	Lakhtakia et al. (1984b)
Bates and Wall (1977)	Morita (1979)
Boström (1982)	Peterson and Ström (1974)
Bringi and Seliga (1977b)	Ström (1975)
Doicu (1999)	Ström (1991a)
Doicu (2002)	Ström (1991b)
Doicu and Wriedt (1997a)	Ström and Zheng (1987)
Doicu and Wriedt (1997b)	Ström and Zheng (1988)
Doicu and Wriedt (1997c)	Wang et al. (1994)
Doicu and Wriedt (1999)	Waterman (1965)
Doicu and Wriedt (2001b)	Waterman (1969)
Doicu and Wriedt (2001c)	Waterman (1971)
Doicu and Wriedt (2001d)	Waterman (1979)
Doicu et al. (1999b)	Wriedt and Doicu (1997)
Eremina and Wriedt (2003)	Wriedt and Doicu (1998b)
Hizal (1980)	Wriedt and Doicu (1998c)
Iskander and Lakhtakia (1984)	Zheng and Ström (1989)
Iskander et al. (1982)	

2.5. T-matrix theory and computations for anisotropic and chiral scatterers

Doicu (2003)	Lakhtakia et al. (1985)
Kiselev et al. (2002)	Liu et al. (2000b)
Lakhtakia (1991)	Sharma and Balakrishnan (1998)

2.6. Superposition *T*-matrix method and its modifications, including related mathematical tools

- | | |
|---------------------------------|-------------------------------|
| Auger and Stout (2003) | Miyazaki and Jimba (2000) |
| Auger et al. (2001) | Ngo et al. (1996) |
| Borghese et al. (1979) | Ngo et al. (1997) |
| Borghese et al. (1980) | Peterson (1977) |
| Borghese et al. (1994) | Peterson and Ström (1973) |
| Boström et al. (1991) | Rozenberg (1974) |
| Bruning and Lo (1971a) | Saija et al. (2003b) |
| Bruning and Lo (1971b) | Siqueira and Sarabandi (2000) |
| Chew (1990) | Stein (1961) |
| Chew et al. (1990) | Stout et al. (2001) |
| Cruzan (1962) | Stout et al. (2002a) |
| Chew and Wang (1993) | Ström (1974) |
| Danos and Maximon (1965) | Tzeng and Fung (1994) |
| Fikioris and Uzunoglu (1979) | Videen and Bickel (1991) |
| Fuller (1994) | Videen and Ngo (1998) |
| Fuller and Kattawar (1988a) | Videen et al. (1995) |
| Fuller and Kattawar (1988b) | Videen et al. (1996) |
| Gérardy and Ausloos (1982) | Wang and Chew (1993) |
| Hamid et al. (1990b) | Wittmann (1988) |
| Mackowski (1991) | Xu (1996a) |
| Mackowski (1994) | Xu (1996b) |
| Mackowski (2001) | Xu (1997b) |
| Mackowski and Mishchenko (1996) | Xu (1998b) |
| Mishchenko and Mackowski (1994) | |

2.7. *T*-matrix theory of electromagnetic scattering by infinite periodic arrays of particles

- | | |
|-----------------|------------------------------|
| Modinos (1987) | Varadan (1980) |
| Peterson (1977) | Waterman and Pedersen (1986) |

2.8. *T*-matrix theory and computations of electromagnetic scattering by discrete random media

- | | |
|--------------------------|----------------------------------|
| Bringi et al. (1982a) | Neo et al. (1999) |
| Bringi et al. (1982b) | Siqueira and Sarabandi (2000) |
| Bringi et al. (1983) | Stefanou and Modinos (1993) |
| Chew (1989) | Tishkovets (2002) |
| Chen et al. (2003) | Tishkovets and Mishchenko (2004) |
| Chew et al. (1990) | Tishkovets et al. (2002) |
| Doicu and Wriedt (2001a) | Tishkovets et al. (2004a) |
| Guo et al. (2001) | Tsang (1984) |
| Lu et al. (1995) | Tsang and Kong (1982) |
| Ma et al. (1988) | Tsang and Kong (1983) |

Tsang et al. (1992)	Varadan et al. (1984)
Varadan (1980)	Varadan et al. (1985a)
Varadan and Varadan (1980a)	Varadan et al. (1985b)
Varadan et al. (1979)	Varadan et al. (1987)
Varadan et al. (1983)	West et al. (1994)

2.9. *Relation of the T-matrix method to other theoretical approaches*

Agarwal (1976)	Lewin (1970)
Bates (1969)	Lu and Chew (1995)
Bates (1975)	Mackowski (2002)
Bolomey and Wirgin (1974)	Martin (2003)
Burrows (1969)	Millar (1969)
Doicu (1999)	Morgan et al. (1984)
Doicu and Wriedt (1999)	Nieminen et al. (2003a)
Doicu et al. (1999b)	Rother (1998)
Doicu et al. (2000b)	Rother et al. (2002)
Eremin (1995)	Schmidt et al. (1998)
Eremin (1998)	Schulz et al. (1998a)
Farafonov (2002)	Videen et al. (1998)
Farafonov et al. (2003)	Wriedt and Doicu (1997)
Hill et al. (1997)	Zurk et al. (1995)
Kahnert et al. (2003)	Zurk et al. (1996)
Kleinman et al. (1984)	

2.10. *Symmetry properties of the T matrix and analytical orientation averaging approaches*

Battaglia et al. (2001b)	Mishchenko (1991e)
Borghese et al. (1984b)	Mishchenko (1992a)
Borghese et al. (2001)	Mishchenko and Mackowski (1994)
Fucile et al. (1993)	Paramonov (1994c)
Fucile et al. (1995)	Paramonov (1994e)
Havemann and Baran (2001)	Paramonov (1995a)
Kahnert et al. (2001a)	Paramonov (1995b)
Khlebtsov (1991)	Paramonov and Lopatin (1990)
Khlebtsov (1992)	Schulz et al. (1999a)
Mackowski (1994)	Sindoni et al. (1984)
Mackowski and Mishchenko (1996)	Skaropoulos (2003)
Mishchenko (1989)	Skaropoulos and Russchenberg (2002)
Mishchenko (1990b)	Tsang et al. (1984)
Mishchenko (1990c)	Varadan (1980)
Mishchenko (1990d)	Varadan and Varadan (1980a)
Mishchenko (1991a)	Varadan et al. (1984)
Mishchenko (1991b)	Wielaard et al. (1997)
Mishchenko (1991c)	

2.11. Convergence of various implementations of the *T*-matrix method

Aydin and Hizal (1979)	Mishchenko (1993)
Bates and Wong (1974)	Mishchenko and Travis (1994a)
Dallas (2000)	Mishchenko and Travis (1998)
Ding and Xu (1999)	Mishchenko et al. (1996a)
Doicu et al. (2000b)	Ramm (1982)
Hızal (1980)	Ramm (2002)
Iskander et al. (1983)	Siqueira and Sarabandi (2000)
Kahnert et al. (2001b)	Ström and Zheng (1987)
Khlebtsov et al. (2000)	Wall (1980)
Kristensson and Waterman (1982)	Waterman (1980)
Kristensson et al. (1983)	Waterman (1983)
Lakhtakia et al. (1984a)	Wiscombe and Mugnai (1986)
Lapalme and Patitsas (1993a)	

2.12. Benchmark *T*-matrix results

By benchmark numerical results we understand numbers with at least 3 correct first significant decimals. The accuracy of the numbers must be established by either comparisons with results generated by an independent method or by implementing a reliable internal convergence test.

Hovenier et al. (1996)	Mishchenko and Mackowski (1996)
Kuik et al. (1992)	Mishchenko et al. (1996a)
Mishchenko (1991a)	Voshchinnikov et al. (2000)
Mishchenko (1991d)	Wielaard et al. (1997)
Mishchenko (2000)	

2.13. *T*-matrix calculations for homogeneous spheroids

Abdulkin and Paramonov (2001)	Barber (1977a)
Alpers et al. (2001)	Barber (1977b)
Astafieva and Babenko (1999)	Barber (1978)
Aydin and Daisley (2002)	Barber and Hill (1988)
Aydin and Lure (1991)	Barber and Massoudi (1982)
Aydin and Walsh (1999)	Barber and Wang (1978)
Aydin and Zhao (1990)	Barber and Yeh (1975)
Aydin et al. (1984)	Barber et al. (1981)
Aydin et al. (1989)	Barber et al. (1982)
Aydin et al. (1998)	Barber et al. (1983a)
Babenko and Petrov (2002)	Barber et al. (1983b)
Balzer et al. (1998)	Barksdale and Bostian (1988)
Bantges et al. (1999)	Battaglia et al. (2001a)
Baran et al. (1998)	Battaglia et al. (2001b)

- Bayoudh et al. (2003)
Bazhan et al. (2002)
Bonev et al. (2002)
Borrmann et al. (1996)
Borrmann et al. (2000)
Bringi and Seliga (1977a)
Bringi and Seliga (1980)
Bringi et al. (1998)
Brogniez et al. (2003)
Brooks et al. (2004)
Carey et al. (2000)
Chang et al. (2002)
Cline et al. (1986)
Crosta et al. (2003)
Czekala (1998)
Czekala and Simmer (1998)
Czekala and Simmer (2002)
Czekala et al. (1999)
Czekala et al. (2001a)
Czekala et al. (2001b)
Dlugach and Mishchenko (2004)
Dlugach and Petrova (2003)
Dlugach et al. (2002a)
Dlugach et al. (2002b)
Doicu (2002)
Doicu and Wriedt (1997a)
Doicu and Wriedt (1997b)
Doicu and Wriedt (1997c)
Doicu and Wriedt (1999)
Doicu et al. (1997)
Doicu et al. (1998)
Doicu et al. (1999b)
Doicu et al. (2000b)
Dubovik et al. (2002)
Durden (2003)
Enejder et al. (2003)
Flesia et al. (1994)
Fueglistaler et al. (2003)
Geller et al. (1985)
Glatter and Hofer (1988)
Gledhill and McCall (2000)
Gustafson et al. (2001)
Haferman (2000)
Haferman et al. (1997)
Heintzenberg et al. (2002)
Hill and Benner (1988)
Hill et al. (1984)
Hızal (1980)
Ho and Allen (1994)
Hofer and Glatter (1989)
Holt (1982)
Hogan et al. (2000)
Höpfner et al. (2001)
Hovenier et al. (1996)
Hu et al. (2002)
Ishimaru et al. (1984)
Iskander and Lakhtakia (1984)
Iskander et al. (1983)
Iskander et al. (1986)
Iskander et al. (1989a)
Iskander et al. (1989b)
Jakeman (2000)
Jalava et al. (1998)
Joshi et al. (2003)
Kahn et al. (1997)
Kahnert (2004)
Kahnert et al. (2002a)
Kahnert et al. (2002b)
Kalashnikova et al. (2005)
Keenan et al. (2001)
Kerola and Larson (2001)
Khlebtsov and Mel'nikov (1995)
Khlebtsov et al. (1994)
Khlebtsov et al. (1996a)
Khlebtsov et al. (1996b)
Khlebtsov et al. (1999a)
Khlebtsov et al. (1999b)
Kollias et al. (2001)
Kollias et al. (2002)
Kollias et al. (2003)
Kolokolova (2004)
Kolokolova et al. (1997)
Kouzoubov et al. (1998)
Kouzoubov et al. (1999)
Krotkov et al. (1997)
Krotkov et al. (1999)
Kuik et al. (1992)
Kuik et al. (1994)

- Kummerow and Weinman (1988)
Lacis and Mishchenko (1995)
Lakhtakia and Iskander (1983a)
Lakhtakia et al. (1981)
Lakhtakia et al. (1982a)
Lakhtakia et al. (1982b)
Lakhtakia et al. (1983)
Lakhtakia et al. (1984a)
Lakhtakia et al. (1984c)
Lambert et al. (2003)
Latimer and Barber (1978)
Liang and Mishchenko (1997)
Liou et al. (1983)
Liu and Mishchenko (2001)
Liu et al. (2002)
Lopatin and Paramonov (1989)
Lopatin and Sid'ko (1988)
Lucas (2003)
Lumme (2000)
Lumme and Rahola (1998)
Luo et al. (2003)
Macke et al. (1995)
Mackowski (2002)
Massoudi et al. (1982)
Merchant et al. (1988)
Miao et al. (2003)
Min et al. (2003)
Mishchenko (1989)
Mishchenko (1990a)
Mishchenko (1990c)
Mishchenko (1990d)
Mishchenko (1991a)
Mishchenko (1991b)
Mishchenko (1991d)
Mishchenko (1991e)
Mishchenko (1991f)
Mishchenko (1992a)
Mishchenko (1992b)
Mishchenko (1992c)
Mishchenko (1993)
Mishchenko (1994)
Mishchenko (2000)
Mishchenko and Hovenier (1995)
Mishchenko and Lacis (2003)
Mishchenko and Macke (1998)
Mishchenko and Sassen (1998)
Mishchenko and Travis (1994a)
Mishchenko and Travis (1994b)
Mishchenko and Travis (1994c)
Mishchenko and Travis (1998)
Mishchenko et al. (1995a)
Mishchenko et al. (1995b)
Mishchenko et al. (1997a)
Mishchenko et al. (1997b)
Mishchenko et al. (2000a)
Morel et al. (2002)
Mourant et al. (2002)
Mroccka et al. (2002)
Müller et al. (2003)
Nieminen et al. (2001a)
Nieminen et al. (2001b)
Nilsson et al. (1998)
Nousiainen and Vermeulen (2003)
Oppel et al. (2002)
Paramonov (1994a)
Paramonov (1994b)
Paramonov (1994d)
Paramonov and Lopatin (1989)
Paramonov et al. (1986a)
Paramonov et al. (1986b)
Paramonov et al. (1989)
Peter et al. (2003)
Petrova (1999a)
Petrova (1999b)
Petrova and Markiewicz (1997)
Pilinis and Li (1998)
Pitter et al. (1999)
Porco et al. (2003)
Porstendorfer et al. (1999)
Prodi et al. (1999)
Qingan et al. (1998)
Quirantes and Delgado (1995a)
Quirantes and Delgado (1995b)
Quirantes and Delgado (1998)
Reichardt et al. (2002)
Roberti and Kummerow (1999)
Roessler et al. (1983)
Ruppin (1998)

- | | |
|-----------------------------|---------------------------------|
| Ryde and Matijević (1994) | Vivekanandan et al. (1991) |
| Sakai et al. (2002) | Voigt et al. (2003) |
| Sakai et al. (2003) | Voshchinnikov et al. (2000) |
| Schulz et al. (1998a) | Wang et al. (1980) |
| Schulz et al. (1998b) | Warner (1975) |
| Schulz et al. (1999b) | Warner and Hizal (1976) |
| Seliga and Bringi (1978) | Waterman (1971) |
| Seow et al. (1998) | Waterman (1979) |
| Shvalov et al. (2000) | Wauben et al. (1993) |
| Sid'ko et al. (1980) | Whitney and Wolff (2002) |
| Sinyuk et al. (2003) | Wielaard et al. (1997) |
| Streekstra et al. (1994) | Wirth et al. (1999) |
| Thomas et al. (2002) | Wolff and Clancy (2003) |
| Toon et al. (1990) | Wong et al. (2004) |
| Toon et al. (2000) | Wriedt and Doicu (1998b) |
| Troitsky et al. (2001) | Xing and Greenberg (1994a) |
| Troitsky et al. (2003) | Xing and Greenberg (1994b) |
| Tsang et al. (1984) | Yeh et al. (1982b) |
| Tsias et al. (1999) | Yilmaz et al. (2003) |
| Tzeng et al. (1985) | Zakharova and Mishchenko (2000) |
| Vargas and Niklasson (2001) | Zhao and Hu (2003) |
| Vargas and Niklasson (2002) | Zrnić et al. (2000) |
| Veihelmann et al. (2004) | |

2.14. *T*-matrix calculations for Chebyshev and generalized Chebyshev particles

- | | |
|-----------------------------|-------------------------------|
| Battaglia et al. (2001b) | Mishchenko (1991d) |
| Chýlek and Ramaswamy (1982) | Mishchenko (1994) |
| Chylek et al. (1981) | Mishchenko (2000) |
| Crosta et al. (2001) | Mishchenko and Lacis (2003) |
| Crosta et al. (2003) | Mishchenko and Sassen (1998) |
| Ding and Xu (1999) | Mishchenko and Travis (1994b) |
| Flesia et al. (1994) | Mugnai and Wiscombe (1980) |
| Mannoni et al. (1996) | Mugnai and Wiscombe (1986) |
| Mishchenko (1989) | Mugnai and Wiscombe (1989) |
| Mishchenko (1990c) | Wiscombe and Mugnai (1986) |
| Mishchenko (1990d) | Wiscombe and Mugnai (1988) |
| Mishchenko (1991a) | |

2.15. *T*-matrix calculations for finite circular cylinders

- | | |
|-----------------------------|--------------------------|
| Appleyard and Davies (2004) | Baran and Francis (2004) |
| Baran (2003) | Baran et al. (2003) |

- Barber (1977a)
Barber et al. (1982)
Baumgarten et al. (2002)
Ding and Xu (2002)
Dlugach and Mishchenko (2004)
Doicu and Wriedt (1997c)
Eremina and Wriedt (2003)
Evans et al. (1999)
Francis et al. (1999)
Gordon et al. (2001)
Havemann and Baran (2001)
Hovenier et al. (1996)
Kahn et al. (2003)
Kahnert et al. (2002a)
Kahnert et al. (2002b)
Khlebtsov et al. (2004a)
Kuik et al. (1994)
Lapalme and Patitsas (1993a)
Lapalme and Patitsas (1993b)
Lee et al. (2003)
Liu and Mishchenko (2001)
Liu et al. (1998)
Liu et al. (1999)
- Mackowski (2002)
Merchant et al. (1988)
Miao et al. (2003)
Mishchenko (2000)
Mishchenko and Macke (1998)
Mishchenko and Macke (1999)
Mishchenko and Sassen (1998)
Mishchenko et al. (1996a)
Mishchenko et al. (1997b)
Nieminen et al. (2001)
Oppel et al. (2002)
Pulbere and Wriedt (2004)
Ruppig (1990)
Waterman (1971)
Waterman (1973)
Waterman (1979)
Wauben et al. (1993)
Wielaard et al. (1997)
Xing and Greenberg (1994)
Yang et al. (2003)
Yilmaz et al. (2003)
Zakharova and Mishchenko (2001)

2.16. *T*-matrix calculations for various rotationally symmetric particles

- Aydin and Seliga (1984)
Aydin et al. (1984)
Barber and Massoudi (1982)
Barber and Yeh (1975)
Bates and Wong (1974)
Bringi and Seliga (1977a)
Bringi and Seliga (1980)
Doicu and Wriedt (1997c)
Hizal (1980)
Lakhtakia and Iskander (1983a)
Lakhtakia et al. (1983)
Lapalme and Patitsas (1993a)
Li et al. (2001)
Mishchenko and Videen (1999)
Mishchenko and Lasis (2003)
- Ngo et al. (1997)
Prodi et al. (1999)
Schuh and Wriedt (2003)
Ström and Zheng (1987)
Sturniolo et al. (1995)
Videen et al. (1996)
Warner and Hizal (1976)
Waterman (1965)
Waterman (1971)
Waterman (1973)
Waterman (1979)
Waterman (1980)
Wriedt and Doicu (1997)
Yeh et al. (1982a)
Yeh et al. (1982b)

2.17. *T-matrix calculations for ellipsoids, polyhedral scatterers, and other particles lacking axial symmetry*

Baran and Francis (2004)	Kahnert et al. (2002a)
Baran et al. (2001a)	Kahnert et al. (2002b)
Baran et al. (2001b)	Laitinen and Lumme (1998)
Björkberg and Kristensson (1987)	Mitchell et al. (2001)
Havemann and Baran (2001)	Schneider and Peden (1988)
Havemann et al. (2003)	Schneider et al. (1991)
Kahnert (2004)	Wriedt (2002)
Kahnert et al. (2001a)	Wriedt and Comberg (1998)
Kahnert et al. (2001b)	Wriedt and Doicu (1998b)

2.18. *T-matrix calculations for layered and composite particles*

Aydin and Zhao (1990)	Mazumder et al. (1992)
Aydin et al. (1983)	Quirantes (1999)
Bringi and Seliga (1977a)	Quirantes and Delgado (2001)
Bringi and Seliga (1977b)	Ström and Zheng (1988)
Cooper et al. (1983)	Ström and Zheng (1989)
Doicu and Wriedt (2001b)	Wang and Barber (1979)
Doicu and Wriedt (2001c)	Wang et al. (1979)
Doicu and Wriedt (2001d)	Zheng (1988)
Hızal (1980)	Zheng (1989)
Hofer and Glatter (1989)	Zheng and Ström (1989)

2.19. *T-matrix calculations for clusters of homogeneous spheres*

Abel et al. (2003)	Chew et al. (1990)
Andersen et al. (2002)	Chew et al. (1994)
Andersen et al. (2004)	Comberg and Wriedt (1999)
Arnold et al. (1994)	Cruz et al. (1989)
Auger and Stout (2003)	de Abajo (1999a)
Auger et al. (2000)	de Abajo (1999b)
Auger et al. (2003)	de Daran et al. (1995)
Borghese et al. (1984a)	Flatau et al. (1993)
Borghese et al. (1984b)	Fonseca et al. (1993)
Borghese et al. (1984c)	Fonseca et al. (1994)
Borghese et al. (1987b)	Fucile et al. (1995)
Borghese et al. (1989)	Fuller (1991)
Borghese et al. (2001)	Fuller (1995)
Botet et al. (1997)	Fuller and Kattawar (1988a)
Bruning and Lo (1971b)	Fuller and Kattawar (1988b)
Chew (1989)	Fuller et al. (1986)
Chew and Lu (1995)	Fuller et al. (1999)

- Gérardy and Ausloos (1982)
Gustafson et al. (2001)
Hamid (1996)
Hamid et al. (1990a)
Hamid et al. (1990b)
Hamid et al. (1991)
Holler et al. (2000)
Hovenier and Mackowski (1998)
Hovenier et al. (1996)
Ioannidou et al. (1995)
Jin and Huang (1996a)
Kattawar and Dean (1983)
Khlebtsov et al. (2000)
Khlebtsov et al. (2004b)
Kimura (2001)
Kimura et al. (2003)
Landgraf et al. (1999)
Litvinov et al. (2003)
Lu and Chew (1993)
Mackowski (1991)
Mackowski (1994)
Mackowski and Mishchenko (1996)
Manoharan et al. (2003)
Mishchenko (1996)
Mishchenko and Mackowski (1994)
Mishchenko and Mackowski (1996)
Mishchenko et al. (1995a)
Mishchenko et al. (2004)
Miyazaki and Jimba (2000)
Miyazaki et al. (2002)
Miyazaki et al. (2003)
Miyazaki et al. (2004)
Ovod (1999)
Ovod et al. (1998)
Pellegrino et al. (1997)
Petrova et al. (2000)
Petrova et al. (2001a)
Petrova et al. (2001b)
Pustovit et al. (2002)
Quinten (1999)
Quinten and Kreibig (1988)
Quinten and Kreibig (1993)
Quinten et al. (2000)
Quinten et al. (2002)
Quirantes and Delgado (2003)
Quirantes et al. (2001)
Ruppin (1999)
Saija et al. (1985)
Saija et al. (2001a)
Saija et al. (2001b)
Saija et al. (2003a)
Saija et al. (2003b)
Schnaiter et al. (2003)
Secker et al. (2000)
Siqueira and Sarabandi (2000)
Stout et al. (2001)
Stout et al. (2002a)
Stout et al. (2002b)
Tishkovets (1994)
Tishkovets (1998)
Tishkovets and Litvinov (1996)
Tishkovets and Litvinov (1999)
Tishkovets et al. (1999)
Tishkovets et al. (2004a)
Tishkovets et al. (2004b)
Tzeng and Fung (1994)
Usami (1999)
Vargas and Niklasson (2001)
Vargas and Niklasson (2002)
Videen et al. (1997a)
Videen et al. (1997b)
Videen et al. (1998)
Videen et al. (2000)
Wang and Chew (1993)
Wurm and Schnaiter (2002)
Xu (1995)
Xu (1997a)
Xu (1998a)
Xu (2003b)
Xu (2003c)
Xu (2004)
Xu and Gustafson (1997)
Xu and Gustafson (1999)
Xu and Gustafson (2001)
Xu and Wang (1998)
Xu et al. (1999)
Zhao et al. (2003)
Zhong et al. (2004)

2.20. *T*-matrix calculations for clusters of layered spheres

Borghese et al. (1987a)	Khlebtsov et al. (2004b)
Hamid et al. (1992)	Xu and Khlebtsov (2003)
Hamid et al. (2003)	

2.21. *T*-matrix calculations for clusters of nonspherical monomers

Cruz et al. (1989)	Şahin and Miller (1998)
Huang and Jin (1998)	Vargas et al. (1993)
Jin and Huang (1996b)	Xu (2003a)

2.22. *T*-matrix calculations for particles with one or several (eccentric) inclusions

Auger et al. (2001)	Ngo and Pinnick (1994)
Auger et al. (2004)	Ngo et al. (1996)
Borghese et al. (1992)	Pellegrino et al. (1997)
Borghese et al. (1994)	Pinnick et al. (2000)
Borghese et al. (1998)	Prabhu et al. (2001)
Chýlek and Videen (1998)	Roumeliotis and Fikioris (1981)
Chýlek et al. (1996)	Rozenberg (1974)
Chýlek et al. (1998)	Skaropoulos et al. (1994)
Chýlek et al. (2000)	Schuh and Wriedt (2001)
Doicu and Wriedt (2001a)	Secker et al. (2000)
Fikioris and Uzunoglu (1979)	Simão et al. (2001)
Fuller (1995b)	Skaropoulos et al. (1996)
Fuller et al. (1999)	Stout et al. (2003)
Hill et al. (1997)	Videen and Chylek (1998)
Iatì et al. (2001)	Videen and Ngo (1998)
Ioannidou and Chrissoulidis (2002)	Videen et al. (1994)
Ioannidou et al. (1999)	Videen et al. (1995)
Jones (1995)	Videen et al. (1997b)
Krieger et al. (2003)	Videen et al. (2000)
Krieger et al. (2004)	Videen et al. (2001)
Mackowski and Jones (1995)	

2.23. *T*-matrix calculations of optical resonances in nonspherical particles

Arnold et al. (1994)	Borghese et al. (1987a)
Barber and Hill (1988)	Borghese et al. (1998)
Barber and Massoudi (1982)	Fuller (1989)
Barber et al. (1982)	Fuller (1991)

- | | |
|-----------------------------|---------------------------|
| Fuller (1995b) | Miyazaki and Jimba (2000) |
| Fuller et al. (1986) | Ngo and Pinnick (1994) |
| Hill and Benner (1988) | Ruppin (1998) |
| Gérardy and Ausloos (1982) | Ruppin (1999) |
| Khlebtsov et al. (1996a) | Simão et al. (2001) |
| Khlebtsov et al. (2004a) | Tzeng et al. (1985) |
| Kristensson (1984) | Überall et al. (1985) |
| Lai et al. (1991) | Zhao et al. (2003) |
| Mazumder et al. (1992) | Zheng (1989) |
| Merchant et al. (1988) | Zheng and Ström (1991) |
| Mishchenko and Lacic (2003) | |

2.24. *T*-matrix calculations of optical forces and torques on small particles

- | | |
|-----------------------|-------------------------|
| Bayouhd et al. (2003) | Nieminen et al. (2001a) |
| Bishop et al. (2003) | Nieminen et al. (2001b) |
| Mishchenko (1991e) | Saija et al. (2003a) |

2.25. *T*-matrix calculations of internal, surface, and local fields

- | | |
|--------------------------------|----------------------------|
| Astafieva and Babenko (1999) | Lakhtakia et al. (1983) |
| Babenko and Petrov (2002) | Lakhtakia et al. (1984c) |
| Barber (1977b) | Mackowski and Jones (1995) |
| Barber et al. (1983a) | Nilsson et al. (1998) |
| Barber et al. (1983b) | Şahin and Miller (1998) |
| Bates and Wong (1974) | Skaropoulos et al. (1996) |
| Bringi and Seliga (1980) | Stout et al. (2002b) |
| Cline et al. (1986) | Tishkovets (1998) |
| Cruz et al. (1989) | Vargas et al. (1993) |
| Iskander et al. (1980) | Wang et al. (1980) |
| Lakhtakia and Iskander (1983b) | Waterman (1999) |
| Lakhtakia et al. (1981) | Xu (2003c) |
| Lakhtakia et al. (1982a) | Xu (2004) |

2.26. *Illumination by focused beams and non-plane waves*

- | | |
|--------------------------|--------------------------|
| Bayouhd et al. (2003) | Lakhtakia et al. (1982b) |
| Bishop et al. (2003) | Li et al. (2001) |
| Doicu and Wriedt (1997a) | Nieminen et al. (2003b) |
| Doicu and Wriedt (1997d) | Ovod (1999) |
| Doicu and Wriedt (1997e) | Yeh et al. (1982b) |
| Lakhtakia et al. (1982a) | |

2.27. Use of T-matrix calculations for testing other theoretical techniques

- | | |
|-------------------------------|-------------------------------|
| Andersen et al. (2002) | Lopatin et al. (1987) |
| Andersen et al. (2004) | Macke et al. (1995) |
| Babenko and Petrov (2002) | Mishchenko (1990a) |
| Baran et al. (1998) | Mishchenko (1990d) |
| Baran et al. (2001b) | Mishchenko (1991b) |
| Barber and Wang (1978) | Mishchenko and Macke (1999) |
| Chýlek and Ramaswamy (1982) | Mitchell et al. (2001) |
| Chýlek and Videen (1998) | Paramonov et al. (1986a) |
| Comberg and Wriedt (1999) | Paramonov et al. (1986b) |
| Doicu et al. (2000b) | Paramonov et al. (1989) |
| Evans and Fournier (1994) | Peltoniemi (1996) |
| Flatau et al. (1993) | Petrova and Markiewicz (1997) |
| Fournier and Evans (1991) | Qingan et al. (1998) |
| Gordon et al. (2001) | Ravey and Mazon (1983) |
| Goedecke and O'Brien (1988) | Ruppin (1990) |
| Havemann et al. (2003) | Schulz et al. (1998a) |
| Holt (1980) | Seliga and Bringi (1978) |
| Holt (1982) | Simão et al. (2001) |
| Hovenier and Mackowski (1998) | Streekstra et al. (1994) |
| Hovenier et al. (1996) | Videen and Chýlek (1998) |
| Iskander et al. (1989a) | Videen et al. (1994) |
| Kahnert et al. (2001a) | Voshchinnikov et al. (2000) |
| Khlebtsov et al. (1991) | Wielaard et al. (1997) |
| Khlebtsov et al. (1994) | Wriedt and Comberg (1998) |
| Kimura (2001) | Xu and Gustafson (1999) |
| Lapalme and Patitsas (1993b) | Zhao and Hu (2003) |
| Latimer and Barber (1978) | Zhao et al. (2003) |
| Liu et al. (1998) | |

2.28. Comparisons of T-matrix and effective-medium-approximation results

- | | |
|--------------------------|-------------------------------|
| Botet et al. (1997) | Gustafson et al. (2001) |
| Chew (1989) | Neo et al. (1999) |
| Chýlek and Videen (1998) | Siqueira and Sarabandi (2000) |
| Chýlek et al. (2000) | Videen and Chýlek (1998) |
| Doicu and Wriedt (2001a) | Videen et al. (1994) |
| Fonseca et al. (1994) | Zurk et al. (1996) |
| Fuller et al. (1999) | |

2.29. Comparisons of *T*-matrix and controlled laboratory results

Arnold et al. (1994)	Ruppin (1990)
Borghese et al. (1989)	Varadan et al. (1983)
Bringi and Seliga (1977a)	West et al. (1994)
Bringi and Seliga (1977b)	Xu (1997a)
Bruning and Lo (1971b)	Xu (1998a)
Fuller et al. (1986)	Xu and Gustafson (1997)
Kattawar and Dean (1983)	Xu and Gustafson (1999)
Mishchenko and Mackowski (1996)	Xu and Gustafson (2001)
Qingan et al. (1998)	Xu and Wang (1998)

2.30. Use of *T*-matrix calculations for analyzing laboratory data

Balzer and Rubahn (2001)	Ngo and Pinnick (1994)
Balzer et al. (1998)	Nousiainen and Vermeulen (2003)
Bazhan et al. (2002)	Pellegrino et al. (1997)
Chen et al. (2003)	Pinnick et al. (2000)
Crosta et al. (2001)	Pitter et al. (1999)
Crosta et al. (2003)	Quinten and Kreibig (1988)
Doicu et al. (1998)	Quinten et al. (2000)
Fonseca et al. (1993)	Quirantes and Delgado (1995a)
Hill et al. (1984)	Quirantes and Delgado (1995b)
Holler et al. (1998)	Quirantes and Delgado (1998)
Holler et al. (2000)	Ryde and Matijević (1994)
Jalava et al. (1998)	Secker et al. (2000)
Khlebtsov et al. (1994)	Varadan et al. (1985a)
Krieger et al. (2003)	Videen et al. (1996)
Krieger et al. (2004)	Videen et al. (1997a)
Lambert et al. (2003)	Videen et al. (1997b)
Mitchell et al. (2001)	Videen et al. (2000)
Miyazaki et al. (2002)	Volten et al. (1999)
Miyazaki et al. (2004)	

2.31. *T*-matrix modeling of scattering properties of mineral aerosols in the terrestrial atmosphere and soil particles

Dubovik et al. (2002)	Hill et al. (1984)
Heintzenberg et al. (2002)	Kahn et al. (1997)

Kahnert (2004)	Müller et al. (2003)
Kalashnikova et al. (2005)	Nousiainen and Vermeulen (2003)
Krotkov et al. (1997)	Pilinis and Li (1998)
Krotkov et al. (1999)	Reid et al. (2003)
Lacis and Mishchenko (1995)	Sakai et al. (2002)
Liang and Mishchenko (1997)	Sakai et al. (2003)
Liu et al. (2002)	Sinyuk et al. (2003)
Mishchenko et al. (1995b)	Veihelmann et al. (2004)
Mishchenko et al. (1997a)	Wang et al. (2003)

2.32. *T*-matrix modeling of scattering properties of carbonaceous and soot aerosols and soot-containing aerosol and cloud particles

Abel et al. (2003)	Khlebtsov and Mel'nikov (1995)
Chylek et al. (1981)	Quinten (1999)
Chýlek et al. (1995)	Quinten et al. (2002)
Chýlek et al. (1996)	Roessler et al. (1983)
Fuller (1995a)	Schnaiter et al. (2003)
Fuller (1995b)	Videen and Chýlek (1998)
Fuller et al. (1999)	Videen et al. (1994)

2.33. *T*-matrix modeling of scattering properties of cirrus cloud particles

Babur et al. (2002)	Kahn et al. (2003)
Bantges et al. (1999)	Lee et al. (2003)
Baran (2003)	Miao et al. (2003)
Baran and Francis (2004)	Mishchenko and Macke (1998)
Baran et al. (1998)	Mishchenko and Macke (1999)
Baran et al. (2001a)	Mishchenko et al. (1997b)
Baran et al. (2001b)	Mitchell et al. (2001)
Baran et al. (2003)	Oppel et al. (2002)
Battaglia et al. (2001a)	Peter et al. (2003)
Borrmann et al. (1996)	Prodi et al. (1999)
Borrmann et al. (2000)	Sajja et al. (2001b)
Czekala (1998)	Sreerekha et al. (2002)
Ding and Xu (2002)	Stubenrauch et al. (1999)
Evans et al. (1999)	Thomas et al. (2002)
Francis et al. (1999)	Troitsky et al. (2001)
Havemann et al. (2003)	Troitsky et al. (2003)
Hogan et al. (2000)	Yang et al. (2003)

2.34. *T*-matrix modeling of scattering properties of hydrometeors

- | | |
|--------------------------------|-----------------------------|
| Aydin and Daisley (2002) | Jain and Watson (1985) |
| Aydin and Lure (1991) | Keenan et al. (2001) |
| Aydin and Seliga (1984) | Kennedy et al. (2001) |
| Aydin and Walsh (1999) | Kollias et al. (2001) |
| Aydin and Zhao (1990) | Kollias et al. (2002) |
| Aydin et al. (1984) | Kollias et al. (2003) |
| Aydin et al. (1989) | Kummerow and Weinman (1988) |
| Aydin et al. (1998) | Mishchenko (1992a) |
| Barksdale and Bostian (1988) | Prigent et al. (2001) |
| Battaglia et al. (2001b) | Prodi et al. (1999) |
| Bringi and Chandrasekar (2001) | Qingan et al. (1998) |
| Bringi and Seliga (1977a) | Roberti and Kummerow (1999) |
| Bringi et al. (1998) | Rozenberg (1974) |
| Carey et al. (2000) | Seliga and Bringi (1978) |
| Czekala and Simmer (1998) | Seow et al. (1998) |
| Czekala and Simmer (2002) | Sturniolo et al. (1995) |
| Czekala et al. (1999) | Vivekanandan et al. (1991) |
| Czekala et al. (2001a) | Wang and Barber (1979) |
| Durden (2003) | Warner (1975) |
| Gosset (2004) | Warner and Hizal (1976) |
| Haferman (2000) | Wiedner et al. (2004) |
| Hubbert and Bringi (2003) | Yeh et al. (1982a) |
| Ioannidou et al. (1999) | Zrnić et al. (2000) |

2.35. *T*-matrix modeling of scattering properties of terrestrial stratospheric aerosol and cloud particles

- | | |
|----------------------------|---------------------------|
| Brognez et al. (2003) | Hu et al. (2002) |
| Brooks et al. (2004) | Liu and Mishchenko (2001) |
| Carslaw et al. (1998a) | Luo et al. (2003) |
| Carslaw et al. (1998b) | Reichardt et al. (2000) |
| Flentje et al. (2002) | Reichardt et al. (2002) |
| Flesia et al. (1994) | Toon et al. (1990) |
| Fueglistaler et al. (2002) | Toon et al. (2000) |
| Fueglistaler et al. (2003) | Tsias et al. (1999) |
| Gerding et al. (2003) | Voigt et al. (2003) |
| Höpfner et al. (2001) | Wirth et al. (1999) |

2.36. *T*-matrix modeling of scattering properties of noctilucent cloud particles

- | | |
|--------------------------|---------------------------------|
| Alpers et al. (2001) | Zakharova and Mishchenko (2000) |
| Baumgarten et al. (2002) | Zakharova and Mishchenko (2001) |
| Mishchenko (1992c) | |

2.37. *T*-matrix modeling of scattering properties of hydrosol particles

Kouzoubov et al. (1998)
 Kouzoubov et al. (1999)
 Morel et al. (2002)

2.38. *T*-matrix modeling of scattering properties of aerosol and cloud particles in planetary atmospheres

Dlugach and Mishchenko (2004)	Petrova (1999b)
Dlugach and Petrova (2003)	Petrova and Markiewicz (1997)
Dlugach et al. (2002a)	Rannou et al. (1997)
Dlugach et al. (2002b)	Wolff and Clancy (2003)
Mishchenko (1991f)	Wong et al. (2004)
Petrova (1999a)	

2.39. *T*-matrix modeling of scattering properties of interstellar, interplanetary, and cometary particles

Andersen et al. (2002)	Mishchenko (1991b)
Andersen et al. (2004)	Petrova et al. (2000)
Bonev et al. (2002)	Petrova et al. (2001a)
Gledhill and McCall (2000)	Petrova et al. (2001b)
Gustafson et al. (2001)	Porco et al. (2003)
Iatì et al. (2001)	Quinten et al. (2002)
Kerola and Larson (2001)	Saija et al. (2001a)
Kimura (2001)	Saija et al. (2003a)
Kimura et al. (2003)	Throop and Esposito (1998)
Kolokolova (2004)	Tishkovets (1994)
Kolokolova et al. (1997)	Tishkovets and Litvinov (1999)
Landgraf et al. (1999)	Tishkovets et al. (2004b)
Lucas (2003)	Whitney and Wolff (2002)
Lumme (2000)	Wurm and Schnaiter (2002)
Mishchenko (1989)	
Mishchenko (1990c)	

2.40. *T*-matrix computations for industrial and military applications

Appleyard and Davies (2004)	Quinten (1999)
Auger et al. (2003)	Ryde and Matijević (1994)
Doicu et al. (1998)	Vargas (2003)
Joshi et al. (2003)	Vargas et al. (2001)

2.41. *T*-matrix computations for biomedical applications

- | | |
|--------------------------------|---------------------------|
| Barber (1977b) | Lakhtakia et al. (1982b) |
| Barber (1978) | Lakhtakia et al. (1984c) |
| Enejder et al. (2003) | Lambert et al. (2003) |
| Holler et al. (2000) | Lopatin and Sid'ko (1988) |
| Iskander et al. (1980) | Massoudi et al. (1982) |
| Khlebtsov et al. (1994) | Mourant et al. (2002) |
| Khlebtsov et al. (1995) | Mroczka et al. (2002) |
| Khlebtsov et al. (1996b) | Muttiah (2002) |
| Khlebtsov et al. (1999a) | Nilsson et al. (1998) |
| Khlebtsov et al. (2002a) | Paramonov (1994a) |
| Khlebtsov et al. (2002b) | Shvalov et al. (2000) |
| Khlebtsov et al. (2004b) | Sid'ko et al. (1980) |
| Lakhtakia and Iskander (1983a) | Skaropoulos et al. (1996) |
| Lakhtakia and Iskander (1983b) | Videen and Ngo (1998) |
| Lakhtakia et al. (1981) | Videen et al. (1998) |
| Lakhtakia et al. (1982a) | Wang and Barber (1979) |

2.42. *T*-matrix computations of anisotropic properties of colloids and other disperse media

- | | |
|------------------------|-------------------------------|
| Baran et al. (2001a) | Khlebtsov and Melnikov (1998) |
| Borghese et al. (2001) | Khlebtsov et al. (1991) |
| Czekala (1998) | Khlebtsov et al. (1992) |
| Fucile et al. (1995) | Khlebtsov et al. (1999b) |
| Huang and Jin (1998) | Mishchenko (1990c) |
| Jin and Huang (1996b) | Mishchenko (1991b) |
| Khlebtsov (1998) | Varadan et al. (1985b) |

3. Particles near infinite interfaces

3.1. Seminal publications

- | | |
|---------------------------------|------------------------------|
| Karlsson and Kristensson (1983) | Kristensson and Ström (1980) |
| Kristensson (1980) | Kristensson and Ström (1982) |

3.2. Spherically symmetric particles

- | | |
|----------------------------|-----------------------|
| Aslan et al. (2005) | Bobbert et al. (1986) |
| Bobbert and Vlieger (1986) | Bobbert et al. (1988) |

Borghese et al. (1997)	Lazzari et al. (2002)
de la Peña et al. (1999b)	Liu et al. (2000a)
Fucile et al. (1997b)	Ngo and Videen (1997)
González et al. (2001)	Quinten et al. (1999)
Hamid and Hamid (2000)	Ruppin (1991)
Hamid and Hamid (2002)	Videen (1991)
Ishikawa et al. (2000)	Videen (1993)
Johnson (1992)	Videen (2000)
Johnson (1994)	Videen et al. (1992)
Johnson (1996)	Videen et al. (1993)
Kim et al. (2002)	Videen et al. (2005)
Kim et al. (2004)	Wannemacher et al. (1999)
Lazzari et al. (2001)	Zvyagin and Goto (1998)

3.3. *Non-spherically symmetric finite particles*

Bobbert and Vlieger (1987)	Lazzari et al. (2002)
Bobbert et al. (1987)	Simonsen et al. (2000)
Borghese et al. (1995)	Videen (1995)
Borghese et al. (1997)	Videen (1996)
Denti et al. (1999a)	Videen (1997)
Denti et al. (1999b)	Wind et al. (1987a)
Doicu et al. (1999a)	Wind et al. (1987b)
Doicu et al. (2000a)	Wind et al. (1988)
Doicu et al. (2001)	Wriedt and Doicu (1998a)
Germer (2002)	Wriedt and Doicu (2000)
Lazzari et al. (2001)	

3.4. *Finite particles on incident side of planar interface*

Bobbert and Vlieger (1986)	González et al. (2001)
Bobbert and Vlieger (1987)	Hamid and Hamid (2000)
Bobbert et al. (1986)	Hamid and Hamid (2002)
Bobbert et al. (1987)	Johnson (1992)
Bobbert et al. (1988)	Johnson (1994)
Borghese et al. (1995)	Johnson (1996)
Borghese et al. (1997)	Kim et al. (2002)
de la Peña et al. (1999b)	Kim et al. (2004)
Denti et al. (1999a)	Lazzari et al. (2001)
Denti et al. (1999b)	Lazzari et al. (2002)
Doicu et al. (1999a)	Ngo and Videen (1997)
Doicu et al. (2000a)	Ruppin (1991)
Fucile et al. (1997b)	Simonsen et al. (2000)
Germer (2002)	Videen (1991)

Videen (1995)	Wind et al. (1987a)
Videen (1997)	Wind et al. (1987b)
Videen (2000)	Wind et al. (1988)
Videen et al. (1992)	Wriedt and Doicu (1998a)
Videen et al. (1993)	Wriedt and Doicu (2000)

3.5. Finite particles on transmitted side of planar interface

Aslan et al. (2005)	Videen (1993)
Doicu et al. (2001)	Videen (1996)
Ishikawa et al. (2000)	Videen et al. (2005)
Liu et al. (2000a)	Wannemacher et al. (1999)
Quinten et al. (1999)	Zvyagin and Goto (1998)

3.6. Two-dimensional particles near planar substrates

Borghgi et al. (1996a)	Lee (1999)
Borghgi et al. (1996b)	Lee and Grzesik (1998)
Borghgi et al. (1997)	Rao and Barakat (1989)
Borghgi et al. (1999)	Rao and Barakat (1991)
Borghgi et al. (2000)	Rao and Barakat (1994)
de la Peña et al. (1999a)	Videen and Ngo (1997)

3.7. Tools for particle characterization

Aslan et al. (2005)	Kim et al. (2002)
Bobbert and Vlieger (1987)	Kim et al. (2004)
Bobbert et al. (1986)	Liu et al. (2000a)
Bobbert et al. (1987)	Quinten et al. (1999)
Bobbert et al. (1988)	Videen (1997)
de la Peña et al. (1999a)	Wannemacher et al. (1999)
de la Peña et al. (1999b)	Wind et al. (1987a)
Doicu et al. (2001)	Wind et al. (1987b)
Ishikawa et al. (2000)	Zvyagin and Goto (1998)
Johnson (1994)	

3.8. Convergence of results

de la Peña et al. (1999a)	Johnson (1996)
de la Peña et al. (1999b)	Videen et al. (1992)
Doicu et al. (1999a)	Videen et al. (1993)
González et al. (2001)	

3.9. Resonances

Borghese et al. (1997)	Liu et al. (2000a)
Ishikawa et al. (2000)	Quinten et al. (1999)
Johnson (1994)	Wannemacher et al. (1999)
Lazzari et al. (2002)	

3.10. Normally incident interaction-field approximation

de la Peña et al. (1999a)	Videen (1993)
de la Peña et al. (1999b)	Videen (1995)
Johnson (1994)	Videen (1996)
Johnson (1996)	Videen and Ngo (1997)
Kim et al. (2002)	Videen et al. (1992)
Ngo and Videen (1997)	Videen et al. (1993)
Videen (1991)	

Acknowledgements

We thank Nadia Zakharova for excellent editorial work and Josefina Mora and Zoe Wai for helping to obtain copies of publications that were not readily accessible. We also appreciate useful comments by Anthony Baran and Michael Kahnet. This project was sponsored by the NASA Radiation Sciences Program managed by Donald Anderson.

References

- Abdulkin VV, Paramonov LE. Application of orthogonal polynomials to estimation of scattering coefficients of polydisperse randomly oriented spheroidal particles. *Atmos Oceanic Opt* 2001;14:543–4.
- Abel SJ, Haywood JM, Highwood EJ, Li J, Buseck PR. Evolution of biomass burning aerosol properties from an agricultural fire in southern Africa. *Geophys Res Lett* 2003;30:1783.
- Agarwal GS. Relation between Waterman's extended boundary condition and the generalized extinction theorem. *Phys Rev D* 1976;14:1168–71.
- Al-Badwaihy KA, Yen JL. Extended boundary conditions integral equations for perfectly conducting and dielectric bodies: formulation and uniqueness. *IEEE Trans Antennas Propag* 1975;23:546–51.
- Alpers M, Gerding M, Höffner J, Schneider J. Multiwavelength lidar observation of a strange noctilucent cloud at Kühlungsborn, Germany (54°N). *J Geophys Res* 2001;106:7945–53.
- Andersen AC, Sotelo JA, Pustovit VN, Niklasson GA. Extinction calculations of multi-sphere polycrystalline graphitic clusters. *Astron Astrophys* 2002;386:296–307.
- Andersen AC, Sotelo JA, Niklasson GA, Pustovit VN. Extinction properties of some complex dust grains. In: Witt AN, Clayton GC, Draine BT., editors. *Astrophysics of dust*. San Francisco: ASP Press; 2004. p. 709–29.
- Appleyard PG, Davies N. Calculation and measurement of infrared mass extinction coefficients of selected ionic and partially ionic insulators and semiconductors: a guide for infrared obscuration applications. *Opt Eng* 2004;43:376–86.
- Arnold S, Ghaemi A, Hendrie P, Fuller KA. Morphological resonances detected from a cluster of two microspheres. *Opt Lett* 1994;19:156–8.
- Aslan MM, Mengüç MP, Videen G. Characterization of metallic nano-particles via surface wave scattering: B. Physical concept and numerical experiments. *JQSRT* 2005;93:207–17.

- Astafieva LG, Babenko VA. Heating of a spheroidal particle by intense laser radiation. *JQSRT* 1999;63:459–68.
- Auger J-C, Stout B. A recursive centered T -matrix algorithm to solve the multiple scattering equation: numerical validation. *JQSRT* 2003;79/80:533–47.
- Auger J-C, Stout B, Lafait J. Dependent light scattering in dense heterogeneous media. *Physica B* 2000;279:21–4.
- Auger J-C, Stout B, Barrera RG, Curiel F. Scattering properties of rutile pigments located eccentrically within microvoids. *JQSRT* 2001;70:675–95.
- Auger J-C, Barrera RG, Stout B. Scattering efficiency of clusters composed by aggregated spheres. *JQSRT* 2003;79/80:521–31.
- Auger J-C, Barrera RG, Stout B. Optical properties of an eccentrically located pigment within an air bubble. *Progr Org Coat* 2004;49:74–83.
- Aydin K, Daisley SEA. Relationships between rainfall rate and 35-GHz attenuation and differential attenuation: modeling the effects of raindrop size distribution, canting, and oscillation. *IEEE Trans Geosci Remote Sens* 2002;40:2343–52.
- Aydin K, Hizal A. On the convergence of the spherical vector wave function expansions used in electromagnetic scattering problems. *Antennas Propag Soc Int Symp* 1979;17:429–32.
- Aydin K, Lure Y-M. Millimeter wave scattering and propagation in rain: a computational study at 94 and 140 GHz for oblate spheroidal and spherical raindrops. *IEEE Trans Geosci Remote Sens* 1991;29:593–601.
- Aydin K, Seliga TA. Radar polarimetric backscattering properties of conical graupel. *J Atmos Sci* 1984;41:1887–92.
- Aydin K, Walsh TM. Millimeter wave scattering from spatial and planar bullet rosettes. *IEEE Trans Geosci Remote Sens* 1999;37:1138–50.
- Aydin K, Zhao Y. A computational study of polarimetric radar observables in hail. *IEEE Trans Geosci Remote Sens* 1990;28:412–22.
- Aydin K, Altintas A, Hizal A. Null field formulations for dielectric-coated antennas. *Radio Sci* 1983;18:1225–42.
- Aydin K, Seliga TA, Bringi VN. Differential radar scattering properties of model hail and mixed-phase hydrometeors. *Radio Sci* 1984;19:58–66.
- Aydin K, Zhao Y, Seliga TA. Rain-induced attenuation effects on C-band dual-polarization meteorological radars. *IEEE Trans Geosci Remote Sens* 1989;27:57–66.
- Aydin K, Park SH, Walsh TM. Bistatic dual-polarization scattering from rain and hail at S- and C-band frequencies. *J Atmos Oceanic Technol* 1998;15:1110–21.
- Babenko VA. Improved algorithm for T -matrix computations of light scattering by aerosol spheroidal particles. *J Aerosol Sci* 1997;28:S203–4.
- Babenko VA. A new method of T -matrix calculations of scattering and absorption of light by spheroidal particles. *Vestsi Natl Acad Sci Belarus* 1999;2:77–82.
- Babenko VA, Petrov PK. Calculation of optical fields inside spheroidal particles of cosmic dust: comparison of different methods: GMT, T -matrix SVM. In: Videen G, Kocifaj M., editors. *Optics of cosmic dust*. The Netherlands, Dordrecht: Kluwer Academic Publishers; 2002. p. 119–30.
- Babenko VA, Astafyeva LG, Kuzmin VN. *Electromagnetic scattering in disperse media. Inhomogeneous and anisotropic particles*. Chichester, UK: Praxis; 2003.
- Babur Y, Yilmaz S, Mamedov AM. Formation dynamic of clouds and Mie scattering theory. *Balkan Phys Lett* 2002;10:146–54.
- Balzer F, Rubahn H-G. Second-harmonic generation and shielding effects of alkali clusters on ultrathin organic films. *Nanotechnol* 2001;12:105–9.
- Balzer F, Jett SD, Rubahn H-G. Alkali cluster films on insulating substrates: comparison between scanning force microscopy and extinction data. *Chem Phys Lett* 1998;297:273–80.
- Bantges RJ, Russell JE, Haigh JD. Cirrus cloud top-of-atmosphere radiance spectra in the thermal infrared. *JQSRT* 1999;63:487–98.
- Baran AJ. Simulation of infrared scattering from ice aggregates by use of a size-shape distribution of circular ice cylinders. *Appl Opt* 2003;42:2811–8.
- Baran AJ, Francis PN. On the radiative properties of cirrus cloud at solar and thermal wavelengths: a test of model consistency using high-resolution airborne radiance measurements. *Quart J R Meteorol Soc* 2004;130:763–78.
- Baran AJ, Foot JS, Mitchell DL. Ice-crystal absorption: a comparison between theory and implications for remote sensing. *Appl Opt* 1998;37:2207–15.
- Baran AJ, Francis PN, Havemann S, Yang P. A study of the absorption and extinction properties of hexagonal ice columns and plates in random and preferred orientations using exact T -matrix theory and aircraft observations of cirrus. *JQSRT* 2001a;70:505–18.

- Baran AJ, Yang P, Havemann S. Calculation of the single-scattering properties of randomly oriented hexagonal ice columns: a comparison of the T -matrix and the finite-difference time-domain methods. *Appl Opt* 2001b;40:4376–86.
- Baran AJ, Havemann S, Francis PN, Watts PD. A consistent set of single-scattering properties for cirrus cloud: tests using radiance measurements from a dual-viewing multi-wavelength satellite-based instrument. *JQSRT* 2003;79/80:549–67.
- Barber PW. Resonance electromagnetic absorption by nonspherical dielectric objects. *IEEE Trans Microwave Theory Tech* 1977a;25:373–81.
- Barber PW. Electromagnetic power deposition in prolate spheroid models of man and animals at resonance. *IEEE Trans Biomed Eng* 1977b;24:513–21.
- Barber PW. Scattering and absorption efficiencies for nonspherical dielectric objects—biological models. *IEEE Trans Biomed Eng* 1978;25:155–9.
- Barber PW. Scattering and absorption by homogeneous and layered dielectrics. In: Varadan VK, Varadan VV., editors. *Acoustic electromagnetic and elastic wave scattering—focus on the T -matrix approach*. New York: Pergamon Press; 1980. p. 191–209.
- Barber PW, Hill SC. Effects of particle nonsphericity on light-scattering. In: Gouesbet G, Gréhan G., editors. *Optical particle sizing. Theory and practice*. New York: Plenum Press; 1988. p. 43–53.
- Barber PW, Hill SC. *Light scattering by particles: computational methods*. Singapore: World Scientific; 1990.
- Barber PW, Massoudi H. Recent advances in light scattering calculations for nonspherical particles. *Aerosol Sci Technol* 1982;1:303–15.
- Barber PW, Wang D-S. Rayleigh–Gans–Debye applicability to scattering by nonspherical particles. *Appl Opt* 1978;17:797–803 (Corrigenda: 1979;18:962–3).
- Barber P, Yeh C. Scattering of electromagnetic waves by arbitrarily shaped dielectric bodies. *Appl Opt* 1975;14:2864–72.
- Barber PW, Wang D-SY, Long MB. Scattering calculations using a microcomputer. *Appl Opt* 1981;7:1121–3.
- Barber PW, Owen JF, Chang RK. Resonant scattering for characterization of axisymmetric dielectric objects. *IEEE Trans Antennas Propag* 1982;30:168–72.
- Barber PW, Chang RK, Massoudi H. Surface-enhanced electric intensities on large silver spheroids. *Phys Rev Lett* 1983a;50:997–1000.
- Barber PW, Chang RK, Massoudi H. Electrodynamic calculations of the surface-enhanced electric intensities on large Ag spheroids. *Phys Rev B* 1983b;27:7251–61.
- Barksdale Jr HH, Bostian CW. Attenuation and depolarization due to rain scatter at millimeter wave frequencies. *IEEE Trans Antennas Propag* 1988;36:1033–40.
- Bates RHT. Rayleigh hypothesis, the extended-boundary condition and point matching. *Electron Lett* 1969;5:654–5.
- Bates RHT. Analytic constraints on electromagnetic field computations. *IEEE Trans Microwave Theory Tech* 1975;23:605–23.
- Bates RHT, Wong CT. Extended boundary condition and thick axially symmetric antennas. *Appl Sci Res* 1974;29:19–43.
- Bates RHT, Wall DJN. Null field approach to scalar diffraction. *Phil Trans Roy Soc London A* 1977;287:45–114.
- Battaglia A, Sturniolo O, Prodi F. Analysis of polarization radar returns from ice clouds. *Atmos Res* 2001a;59/60:231–50.
- Battaglia A, Prodi F, Sturniolo O. Radar and scattering parameters through falling hydrometeors with axisymmetric shapes. *Appl Opt* 2001b;40:3092–100.
- Baumgarten G, Fricke KH, von Cossart G. Investigation of the shape of noctilucent cloud particles by polarization lidar technique. *Geophys Res Lett* 2002;29 (doi:10.1029/2001GL013877).
- Bayouth S, Nieminen TA, Heckenberg NR, Rubinsztein-Dunlop H. Orientation of biological cells using plane-polarized Gaussian beam optical tweezers. *J Mod Opt* 2003;50:1581–90.
- Bazhan W, Kolwas K, Kolwas M. Depolarization of light scattered by a single sodium nanoparticle trapped in an electro-optical trap. *Opt Commun* 2002;211:171–81.
- Bishop AI, Nieminen TA, Heckenberg NR, Rubinsztein-Dunlop H. Optical application and measurement of torque on microparticles of isotropic nonabsorbing material. *Phys Rev A* 2003;68:033802.
- Björkberg J, Kristensson G. Electromagnetic scattering by a perfectly conducting elliptic disk. *Can J Phys* 1987;65:723–34.
- Bobbert PA, Vliieger J. Light scattering by a sphere on a substrate. *Physica A* 1986;137:209–42.
- Bobbert PA, Vliieger J. The polarizability of a spheroidal particle on a substrate. *Physica A* 1987;147:115–41.
- Bobbert PA, Vliieger J, Greef R. Light reflection from a substrate sparsely seeded with spheres—comparison with an ellipsometric experiment. *Physica A* 1986;137:243–57.
- Bobbert PA, Wind MM, Vliieger J. Diffusion to a slowly growing truncated sphere on a substrate. *Physica A* 1987;141:58–72.

- Bobbert PA, Vlieger J, Greef R. Theory of light reflection from a substrate sparsely seeded with spheres: comparison with an ellipsometric experiment. *Thin Solid Films* 1988;164:63–7.
- Bolomey JC, Wirgin A. Numerical comparison of the Green's function and the Waterman and Rayleigh theories of scattering from a cylinder with arbitrary cross-section. *Proc IEE* 1974;121:794–804.
- Bonev T, Jockers K, Petrova E. et al. The dust in comet C/1999 S4 (LINEAR) during its disintegration: narrow-band images, color maps, and dynamical models. *Icarus* 2002;160:419–36.
- Borghese F, Denti P, Toscano G, Sindoni OI. Electromagnetic scattering by a cluster of spheres. *Appl Opt* 1979;18:116–20.
- Borghese F, Denti P, Toscano G, Sindoni OI. An addition theorem for vector Helmholtz harmonics. *J Math Phys* 1980;21:2754–5.
- Borghese F, Denti P, Saija R. et al. Macroscopic optical constants of a cloud of randomly oriented nonspherical scatterers. *Nuovo Cim B* 1984a;81:29–50.
- Borghese F, Denti P, Saija R. et al. Use of group theory for the description of electromagnetic scattering from molecular systems. *J Opt Soc Am A* 1984b;1:183–91.
- Borghese F, Denti P, Saija R. et al. Multiple electromagnetic scattering from a cluster of spheres. I. Theory. *Aerosol Sci Technol* 1984c;3:227–35.
- Borghese F, Denti P, Saija R. et al. Extinction coefficients for a random dispersion of small stratified spheres and a random dispersion of their binary aggregates. *J Opt Soc Am A* 1987a;4:1984–91.
- Borghese F, Denti P, Saija R, Toscano G. Optical absorption coefficient of a dispersion of clusters composed of a large number of spheres. *Aerosol Sci Technol* 1987b;6:173–81.
- Borghese F, Denti P, Saija R, Sindoni OI. Reliability of the theoretical description of electromagnetic scattering from nonspherical particles. *J Aerosol Sci* 1989;20:1079–81.
- Borghese F, Denti P, Saija R, Sindoni OI. Optical properties of spheres containing a spherical eccentric inclusion. *J Opt Soc Am A* 1992;9:1327–35.
- Borghese F, Denti P, Saija R. Optical properties of spheres containing several spherical inclusions. *Appl Opt* 1994;33:484–93 (Errata: 1995;34:555–6).
- Borghese F, Denti P, Saija R. et al. Optical properties of model anisotropic particles on or near a perfectly reflecting surface. *J Opt Soc Am A* 1995;12:530–40.
- Borghese F, Denti P, Saija R. et al. Resonance suppression in the extinction spectrum of single and aggregated hemispheres on a reflecting surface. *Appl Opt* 1997;36:4226–34.
- Borghese F, Denti P, Saija R. et al. Optical resonances of spheres containing an eccentric spherical inclusion. *J Opt* 1998;29:28–34.
- Borghese F, Denti P, Saija R. et al. Optical properties of a dispersion of anisotropic particles with non-randomly distributed orientations. The case of atmospheric ice crystals. *JQSRT* 2001;70:237–51.
- Borghese F, Denti P, Saija R. Scattering from model nonspherical particles. Theory and applications to environmental physics. Berlin: Springer-Verlag; 2003.
- Borghi R, Gori F, Santarsiero M. et al. Plane-wave scattering by a set of perfectly conducting circular cylinders in the presence of a plane surface. *J Opt Soc Am A* 1996a;13:2441–52.
- Borghi R, Gori F, Santarsiero M. et al. Plane-wave scattering by a perfectly conducting circular cylinder near a plane surface: cylindrical-wave approach. *J Opt Soc Am A* 1996b;13:483–93.
- Borghi R, Santarsiero M, Frezza F, Schettini G. Plane-wave scattering by a dielectric circular cylinder parallel to a general reflecting flat surface. *J Opt Soc Am A* 1997;14:1500–4.
- Borghi R, Frezza F, Santini C. et al. Numerical study of the reflection of cylindrical waves of arbitrary order by a generic planar interface. *J Electromagn Waves Appl* 1999;13:27–50.
- Borghi R, Frezza F, Santarsiero M, Schettini G. Electromagnetic scattering by cylindrical objects on generic planar substrates: cylindrical-wave approach. In: Moreno F, González F., editors. *Light scattering from microstructures*. Berlin: Springer; 2000. p. 97–111.
- Borrmann S, Solomon S, Dye JE, Luo B. The potential of cirrus clouds for heterogeneous chlorine activation. *Geophys Res Lett* 1996;23:2133–6.
- Borrmann S, Luo B, Mishchenko M. Application of the T -matrix method to the measurement of aspherical (ellipsoidal) particles with forward scattering optical particle counters. *J Aerosol Sci* 2000;31:789–99.
- Boström A. Time-dependent scattering by a bounded obstacle in three dimensions. *J Math Phys* 1982;23:1444–50.

- Boström A, Kristensson G, Ström S. Transformation properties of plane, spherical and cylindrical scalar and vector wave functions. In: Varadan VV, Lakhtakia A, Varadan VK., editors. Field representations and introduction to scattering. Amsterdam: North Holland; 1991. p. 165–210.
- Botet R, Rannou P, Cabane M. Mean-field approximation of Mie scattering by fractal aggregates of identical spheres. *Appl Opt* 1997;36:8791–7.
- Bringi VN, Chandrasekar V. Polarimetric Doppler weather radar: principles and applications. Cambridge, UK: Cambridge University Press; 2001.
- Bringi VN, Seliga TA. Scattering from non-spherical hydrometers. *Ann Télécommun* 1977a;32:392–7.
- Bringi VN, Seliga TA. Scattering from axisymmetric dielectrics or perfect conductors imbedded in an axisymmetric dielectric. *IEEE Trans Antennas Propag* 1977b;25:575–80.
- Bringi VN, Seliga TA. Surface currents and ‘near’ zone fields. In: Varadan VK, Varadan VV., editors. Acoustic electromagnetic and elastic wave scattering—focus on the T -matrix approach. New York: Pergamon Press; 1980. p. 79–90.
- Bringi VN, Varadan VV, Varadan VK. The effects on pair correlation function of coherent wave attenuation in discrete random media. *IEEE Trans Antennas Propag* 1982a;30:805–8.
- Bringi VN, Varadan VV, Varadan VK. Coherent wave attenuation by a random distribution of particles. *Radio Sci* 1982b;17:946–52.
- Bringi VN, Varadan VK, Varadan VV. Average dielectric properties of discrete random media using multiple scattering theory. *IEEE Trans Antennas Propag* 1983;31:371–5.
- Bringi VN, Chandrasekar V, Xiao R. Raindrop axis ratios and size distributions in Florida rainshafts: an assessment of multiparameter radar algorithms. *IEEE Trans Geosci Remote Sens* 1998;36:703–15.
- Brognez C, Huret N, Eckermann S. et al. Polar stratospheric cloud microphysical properties measured by the microRADIBAL instrument on 25 January 2000 above Esrange and modeling interpretation. *J Geophys Res* 2003;108:8332.
- Brooks SD, Toon OB, Tolbert MA. et al. Polar stratospheric clouds during SOLVE/THESEO: comparison of lidar observations with in situ measurements. *J Geophys Res* 2004;109:D02212.
- Bruning JH, Lo YT. Multiple scattering of EM waves by spheres. I. Multipole expansion and ray-optical solutions. *IEEE Trans Antennas Propag* 1971a;19:378–90.
- Bruning JH, Lo YT. Multiple scattering of EM waves by spheres. II. Numerical and experimental results. *IEEE Trans Antennas Propag* 1971b;19:391–400.
- Burrows ML. Equivalence of the Rayleigh solution and the extended-boundary-condition solution for scattering problems. *Electron Lett* 1969;5:277–8.
- Carey LD, Rutledge SA, Ahijevych DA, Keenan TD. Correcting propagation effects in C-band polarimetric radar observations of tropical convection using differential propagation phase. *J Appl Meteorol* 2000;39:1405–33.
- Carslaw KS, Wirth M, Tsias A. et al. Increased stratospheric ozone depletion due to mountain-induced atmospheric waves. *Nature* 1998a;391:675–8.
- Carslaw KS, Wirth M, Tsias A. et al. Particle microphysics and chemistry in remotely observed mountain polar stratospheric clouds. *J Geophys Res* 1998b;103:5785–96.
- Chang PCY, Hopcraft KI, Jakeman E, Walker JG. Optimum configuration for polarization photon correlation spectroscopy. *Meas Sci Technol* 2002;13:341–8.
- Chen C-T, Tsang L, Guo J. et al. Frequency dependence of scattering and extinction of dense media based on three-dimensional simulations of Maxwell’s equations with applications to snow. *IEEE Trans Geosci Remote Sens* 2003;41:1844–52.
- Chew WC. An N^2 algorithm for the multiple scattering solution of N scatterers. *Microwave Opt Technol Lett* 1989;2:380–3.
- Chew WC. A derivation of the vector addition theorem. *Microwave Opt Technol Lett* 1990;3:256–60.
- Chew WC. Waves and fields in inhomogeneous media. New York: IEEE Press; 1995.
- Chew WC, Lu CC. The recursive aggregate interaction matrix algorithm for multiple scatterers. *IEEE Trans Antennas Propag* 1995;43:1483–6.
- Chew WC, Wang YM. Efficient ways to compute the vector addition theorem. *J Electromagn Waves Appl* 1993;7:651–65.
- Chew WC, Friedrich JA, Geiger R. A multiple scattering solution for the effective permittivity of a sphere mixture. *IEEE Trans Geosci Remote Sens* 1990;28:207–14.
- Chew WC, Lu CC, Wang YM. Efficient computation of three-dimensional scattering of vector electromagnetic waves. *J Opt Soc Am A* 1994;11:1528–37.
- Chýlek P, Ramaswamy V. Lower and upper bounds on extinction cross sections of arbitrarily shaped strongly absorbing or strongly reflecting nonspherical particles. *Appl Opt* 1982;21:4339–44.

- Chýlek P, Videen G. Scattering by a composite sphere and effective medium approximations. *Opt Commun* 1998;146:15–20.
- Chylek P, Ramaswamy V, Cheng R, Pinnick RG. Optical properties and mass concentration of carbonaceous smokes. *Appl Opt* 1981;20:2980–5.
- Chýlek P, Videen G, Ngo D. et al. Effect of black carbon on the optical properties and climate forcing of sulfate aerosols. *J Geophys Res* 1995;100:16325–32.
- Chýlek P, Lesins GB, Videen G. et al. Black carbon and absorption of solar radiation by clouds. *J Geophys Res* 1996;101:23365–71.
- Chýlek P, Videen G, Ngo D. Effect of air bubbles on absorption of solar radiation by water droplets. *J Atmos Sci* 1998;55:340–3.
- Chýlek P, Videen G, Geldart DJW. et al. Effective medium approximations for heterogeneous particles. In: Mishchenko MI, Hovenier JW, Travis LD., editors. *Light scattering by nonspherical particles: theory, measurements, and applications*. San Diego: Academic Press; 2000. p. 273–308.
- Cline MP, Barber PW, Chang RK. Surface-enhanced electric intensities on transition- and noble-metal spheroids. *J Opt Soc Am B* 1986;3:15–21.
- Comberg U, Wriedt T. Comparison of scattering calculations for aggregated particles based on different models. *JQSRT* 1999;63:149–62.
- Cooper DE, Wang D-S, Kerker M. Scattering of light by laser fusion targets with small defects. *Appl Opt* 1983;22:83–94.
- Crosta GF, Camatini MC, Zomer S. et al. Optical scattering (TAOS) by tire debris particles: preliminary results. *Opt Express* 2001;8:302–7.
- Crosta GF, Zomer S, Pan Y-L, Holler S. Classification of single-particle two-dimensional angular optical scattering patterns and heuristic scatterer reconstruction. *Opt Eng* 2003;42:2689–701.
- Cruz L, Fonseca LF, Gómez M. *T*-matrix approach for the calculation of local fields in the neighborhood of small clusters in the electrodynamic regime. *Phys Rev B* 1989;40:7491–500.
- Cruzan OR. Translational addition theorems for spherical vector wave functions. *Quart Appl Math* 1962;20:33–40.
- Czekala H. Effects of ice particle shape and orientation on polarized microwave radiation for off-nadir problems. *Geophys Res Lett* 1998;25:1669–72.
- Czekala H, Simmer C. Microwave radiative transfer with nonspherical precipitating hydrometeors. *JQSRT* 1998;60:365–74.
- Czekala H, Simmer C. On precipitation induced polarization of microwave radiation measured from space. *Meteorol Z* 2002;11:49–60.
- Czekala H, Havemann S, Schmidt K. et al. Comparison of microwave radiative transfer calculations obtained with three different approximations of hydrometeor shape. *JQSRT* 1999;63:545–58.
- Czekala H, Crewell S, Simmer C, Thiele A. Discrimination of cloud and rain liquid water path by groundbased polarized microwave radiometry. *Geophys Res Lett* 2001a;28:267–70.
- Czekala H, Crewell S, Simmer C. et al. Interpretation of polarization features in ground-based microwave observations as caused by horizontally aligned oblate raindrops. *J Appl Meteorol* 2001b;40:1918–32.
- Dallas AG. On the convergence and numerical stability of the second Waterman scheme for approximation of the acoustic field scattered by a hard object. Technical Report 2000-7, Department of Mathematical Sciences, University of Delaware, Newark, DE 19716, 2000.
- Danos M, Maximon LC. Multipole matrix elements of the translation operator. *J Math Phys* 1965;6:766–78.
- de Abajo FJG. Interaction of radiation and fast electrons with clusters of dielectrics: a multiple scattering approach. *Phys Rev Lett* 1999a;82:2776–9.
- de Abajo FJG. Multiple scattering of radiation in clusters of dielectrics. *Phys Rev B* 1999b;60:6086–102.
- de Daran F, Vignéras-Lefebvre V, Parneix JP. Modeling of electromagnetic waves scattered by a system of spherical particles. *IEEE Trans Magn* 1995;31:1598–601.
- de la Peña JL, Saiz JM, Videen G. et al. Scattering from particles on surfaces: visibility factor and polydispersity. *Opt Lett* 1999a;24:1451–3.
- de la Peña JL, Saiz JM, Valle PJ. et al. Enhanced backscatter from monodisperse contaminants on a substrate. *JQSRT* 1999b;63:383–92.
- Denti P, Borghese F, Saija R. et al. Optical properties of a dispersion of randomly oriented identical aggregates of spheres deposited on a plane surface. *Appl Opt* 1999a;38:6421–30.
- Denti P, Borghese F, Saija R. et al. Optical properties of aggregated spheres in the vicinity of a plane surface. *J Opt Soc Am A* 1999b;16:167–75.

- Ding J, Xu L. Convergence of the T-matrix approach for randomly oriented nonabsorbing nonspherical Chebyshev particles. *JQSRT* 1999;63:163–74.
- Ding J, Xu L. Light scattering characteristics of small ice circular cylinders in visible, 1.38- μm , and some infrared wavelengths. *Opt Eng* 2002;41:2252–66.
- Dlugach JM, Mishchenko MI. The effect of particle shape on microphysical properties of Jovian aerosols retrieved from ground-based spectropolarimetric observations. *JQSRT* 2004;88:37–46.
- Dlugach ZhM, Petrova EV. Polarimetry of Mars in high-transparency periods: how reliable are the estimates of aerosol optical properties?. *Solar Syst Res* 2003;37:87–100.
- Dlugach ZhM, Mishchenko MI, Morozhenko AV. Effect of the shape of particles on the estimates of optical parameters for the dust component in the Martian atmosphere. *Kinem Phys Celest Bodies* 2002a;18:33–42.
- Dlugach ZhM, Mishchenko MI, Morozhenko AV. The effect of the shape of dust aerosol particles in the Martian atmosphere on the particle parameters. *Solar Syst Res* 2002b;36:367–73.
- Doicu A. Null-field method with discrete sources. In: Wriedt T., editor. *Generalized multipole techniques for electromagnetic and light scattering*. Amsterdam: Elsevier; 1999. p. 229–53.
- Doicu A. Null-field method with circularly distributed spherical vector wave functions. *Opt Commun* 2002;213:21–5.
- Doicu A. Null-field method to electromagnetic scattering from uniaxial anisotropic particles. *Opt Commun* 2003;218:11–7.
- Doicu A, Wriedt T. Formulations of the extended boundary condition method for incident Gaussian beams using multiple-multipole expansions. *J Mod Opt* 1997a;44:785–801.
- Doicu A, Wriedt T. Multiple multipole extended boundary condition method. *Optik* 1997b;105:57–60.
- Doicu A, Wriedt T. Extended boundary condition method with multipole sources located in the complex plane. *Opt Commun* 1997c;139:85–91.
- Doicu A, Wriedt T. Computation of the beam-shape coefficients in the generalized Lorenz–Mie theory by using the translational addition theorem for spherical vector wave functions. *Appl Opt* 1997d;36:2971–8.
- Doicu A, Wriedt T. Plane wave spectrum of electromagnetic beams. *Opt Commun* 1997e;136:114–24.
- Doicu A, Wriedt T. Calculation of the T matrix in the null-field method with discrete sources. *J Opt Soc Am A* 1999;16:2539–44.
- Doicu A, Wriedt T. Equivalent refractive index of a sphere with multiple spherical inclusions. *J Opt A: Pure Appl Opt* 2001a;3:204–9.
- Doicu A, Wriedt T. Null-field method with discrete sources to electromagnetic scattering from composite objects. *Opt Commun* 2001b;190:13–7.
- Doicu A, Wriedt T. Null-field method with discrete sources to electromagnetic scattering from layered scatterers. *Comput Phys Commun* 2001c;138:136–42.
- Doicu A, Wriedt T. T-matrix method for electromagnetic scattering from scatterers with complex structure. *JQSRT* 2001d;70:663–73.
- Doicu A, Wriedt T, Bauckhage K. Light scattering by homogeneous axisymmetric particles for PDA calculations to measure both axes of spheroidal particles. *Part Part Syst Charact* 1997;14:3–11.
- Doicu A, Köser J, Wriedt T, Bauckhage K. Light scattering simulation and measurement of monodisperse spheroids using a phase Doppler anemometer. *Part Part Syst Charact* 1998;15:257–62.
- Doicu A, Eremin Y, Wriedt T. Convergence of the T-matrix method for light scattering from a particle on or near a surface. *Opt Commun* 1999a;159:266–77.
- Doicu A, Eremin YuA, Wriedt T. Projection schemes in the null field method. *JQSRT* 1999b;63:175–89.
- Doicu A, Eremin Yu, Wriedt T. Non-axisymmetric models for light scattering from a particle on or near a plane surface. *Opt Commun* 2000a;182:281–8.
- Doicu A, Eremin YuA, Wriedt T. T- and D-matrix methods for electromagnetic scattering by impedance obstacles. *Comput Phys Commun* 2000b;124:19–27.
- Doicu A, Eremin YuA, Wriedt T. Acoustic and electromagnetic scattering analysis using discrete sources. San Diego: Academic Press; 2000c.
- Doicu A, Eremin Yu, Wriedt T. Scattering of evanescent waves by a particle on or near a plane surface. *Comput Phys Commun* 2001;134:1–10.
- Dubovik O, Holben BN, Lapyonok T. et al. Non-spherical aerosol retrieval method employing light scattering by spheroids. *Geophys Res Lett* 2002;29 doi:10.1029/2001GL014506.
- Durden SL. Aiborne polarimetric radar measurements of rainfall profiles. *IEEE Trans Geosci Remote Sens* 2003;41:2125–7.

- Enejder AM, Swartling J, Aruna P, Andersson-Engels S. Influence of cell shape and aggregate formation on the optical properties of flowing whole blood. *Appl Opt* 2003;42:1384–94.
- Eremin YuA. Dissipative matrices in functional representations for wave fields. *Differ Equations* 1995;31:1540–3.
- Eremin YuA. Justification of generalized schemes of the T -matrix method on the base of integral transformations. *Differ Equations* 1998;34:1255–60.
- Eremina E, Wriedt T. Review of light scattering by fiber particles with a high aspect ratio. *Recent Res Devel Opt* 2003;3:297–318.
- Evans BTN, Fournier GR. Analytic approximation to randomly oriented spheroid extinction. *Appl Opt* 1994;33:5796–804.
- Evans KF, Evans AH, Nolt IG, Marshall BT. The prospect for remote sensing of cirrus clouds with a submillimeter-wave spectrometer. *J Appl Meteorol* 1999;38:514–25.
- Farafonov VG. Applicability of the T -matrix method and its modifications. *Opt Spectrosc* 2002;92:748–60.
- Farafonov VG, Il'in VB, Prokopjeva MS. Light scattering by multilayered nonspherical particles: a set of methods. *JQSRT* 2003;79–80:599–626.
- Fikioris JG, Uzunoglu NK. Scattering from an eccentrically stratified dielectric sphere. *J Opt Soc Am* 1979;69:1359–66.
- Flatau PJ, Fuller KA, Mackowski DW. Scattering by two spheres in contact: comparisons between the discrete dipole approximation and modal analysis. *Appl Opt* 1993;32:3302–5.
- Flentje H, Dörmbrack A, Fix A. et al. Denitrification inside the stratospheric vortex in the winter of 1999–2000 by sedimentation of large nitric acid trihydrate particles. *J Geophys Res* 2002;107 (doi:10.1029/2001JD001015).
- Flesia C, Mugnai A, Emery Y. et al. Interpretation of lidar depolarization measurements of the Pinatubo stratospheric aerosol layer during EASOE. *Geophys Res Lett* 1994;21:1443–6.
- Fonseca L, Cruz L, Vargas W, Gomez M. Theoretical calculation of the optical absorption of fractal colloidal aggregates using a multiple scattering formalism. *Cond Matter Theor* 1993;8:561–71.
- Fonseca LF, Gomez M, Cruz L. Calculation of the aggregation and electrodynamic effects in granular systems. *Physica A* 1994;207:123–30.
- Fournier GR, Evans BTN. Approximation to extinction efficiency for randomly oriented spheroids. *Appl Opt* 1991;30:2042–8.
- Francis PN, Foot JS, Baran AJ. Aircraft measurements of the solar and infrared radiative properties of cirrus and their dependence on ice crystal shape. *J Geophys Res* 1999;104:31685–95.
- Fucile E, Borghese F, Denti P, Saija R. Theoretical description of dynamic light scattering from an assembly of large axially symmetric particles. *J Opt Soc Am A* 1993;10:2611–7.
- Fucile E, Borghese F, Denti P, Saija R. Effect of an electrostatic field on the optical properties of a cloud of dielectric particles. *Appl Opt* 1995;34:4552–62.
- Fucile E, Denti P, Borghese F. et al. Optical properties of a sphere in the vicinity of a plane surface. *J Opt Soc Am A* 1997;14:1505–14.
- Fueglistaler S, Luo BP, Buss S. et al. Large NAT particle formation by mother clouds: analysis of SOLVE/THESEO-2000 observations. *Geophys Res Lett* 2002;29 (doi:10.1029/2001GL014548).
- Fueglistaler S, Buss S, Luo BP. et al. Detailed modeling of mountain wave PSCs. *Atmos Chem Phys* 2003;3:697–712.
- Fuller KA. Some novel features of morphology dependent resonances of bispheres. *Appl Opt* 1989;28:3788–90.
- Fuller KA. Optical resonances and two-sphere systems. *Appl Opt* 1991;30:4716–31.
- Fuller KA. Scattering and absorption cross sections of compounded spheres. I. Theory for external aggregation. *J Opt Soc Am A* 1994;11:3251–60.
- Fuller KA. Scattering and absorption cross sections of compounded spheres. II. Calculations for external aggregation. *J Opt Soc Am A* 1995a;12:881–92.
- Fuller KA. Scattering and absorption cross sections of compounded spheres. III. Spheres containing arbitrarily located spherical inhomogeneities. *J Opt Soc Am A* 1995b;12:893–904.
- Fuller KA, Kattawar GW. Consummate solution to the problem of classical electromagnetic scattering by an ensemble of spheres. I: Linear chains. *Opt Lett* 1988a;13:90–2.
- Fuller KA, Kattawar GW. Consummate solution to the problem of classical electromagnetic scattering by an ensemble of spheres. II: Clusters of arbitrary configuration. *Opt Lett* 1988b;13:1063–5.
- Fuller KA, Mackowski DW. Electromagnetic scattering by compounded spherical particles. In: Mishchenko MI, Hovenier JW, Travis LD., editors. *Light scattering by nonspherical particles: theory, measurements, and applications*. San Diego: Academic Press; 2000. p. 225–72.

- Fuller KA, Kattawar GW, Wang RT. Electromagnetic scattering from two dielectric spheres: further comparisons between theory and experiment. *Appl Opt* 1986;25:2521–9.
- Fuller KA, Malm WC, Kreidenweis SM. Effects of mixing on extinction by carbonaceous particles. *J Geophys Res* 1999;104:15941–54.
- Geller PE, Tsuei TG, Barber PW. Information content of the scattering matrix for spheroidal particles. *Appl Opt* 1985;24:2391–6.
- Gérardy JM, Ausloos M. Absorption spectrum of clusters of spheres from the general solution of Maxwell's equations. II. Optical properties of aggregated metal spheres. *Phys Rev B* 1982;25:4204–29.
- Gerding M, Baumgarten G, Blum U. et al. Observation of an unusual mid-stratospheric aerosol layer in the Arctic: possible sources and implications for polar vortex dynamics. *Ann Geophys* 2003;21:1057–69.
- Germer TA. Light scattering by slightly nonspherical particles on surfaces. *Opt Lett* 2002;27:1159–61.
- Glatter O, Hofer M. Interpretation of elastic light scattering data in real space. II. Nonspherical and inhomogeneous monodisperse systems. *J Colloid Interface Sci* 1988;122:484–95.
- Gledhill TM, McCall A. Circular polarization by scattering from spheroidal dust grains. *Mon Not R Astron Soc* 2000;314:123–37.
- Goedecke GH, O'Brien SG. Scattering by irregular inhomogeneous particles via the digitized Green's function algorithm. *Appl Opt* 1988;27:2431–8.
- González F, Videen G, Valle PJ. et al. Light scattering computational methods for particles on substrates. *JQSRT* 2001;70:383–93.
- Gordon HR, Du T. Light scattering by nonspherical particles: application to coccoliths detached from *Emiliania huxleyi*. *Limnol Oceanogr* 2001;46:1438–54.
- Gosset M. Effect of nonuniform beam filling on the propagation of radar signals at X-band frequencies Part. II: examination of differential phase shift. *J Atmos Oceanic Technol* 2004;21:358–67.
- Guo J, Tsang L, Asher W. et al. Applications of dense media radiative transfer theory for passive microwave remote sensing of foam covered ocean. *IEEE Trans Geosci Remote Sens* 2001;39:1019–27.
- Gustafson BÅS, Greenberg JM, Kolokolova L. et al. Interactions with electromagnetic radiation: theory and laboratory simulations. In: Grün E, Gustafson BÅS, Dermott S, Fechtig H., editors. *Interplanetary dust*. Berlin: Springer; 2001. p. 509–67.
- Haferman JL. Microwave scattering by precipitation. In: Mishchenko MI, Hovenier JW, Travis LD., editors. *Light scattering by nonspherical particles: theory measurements and applications*. San Diego: Academic Press; 2000. p. 481–524.
- Haferman JL, Smith TF, Krajewski WF. A multi-dimensional discrete-ordinates method for polarized radiative transfer. I. Validation for randomly oriented axisymmetric particles. *JQSRT* 1997;58:379–98.
- Hamid A-K. Modeling the scattering from a dielectric spheroid by a system of dielectric spheres. *J Electromagn Waves Appl* 1996;10:723–9.
- Hamid AK, Hamid M. A plane electromagnetic wave scattering by a conducting sphere partially buried in a ground plane. *J Electromagn Waves Appl* 2000;14:615–27.
- Hamid AK, Hamid M. Electromagnetic scattering by a dielectric sphere partially buried in an infinite plane. *Can J Phys* 2002;80:979–86.
- Hamid A-K, Ciric IR, Hamid M. Multiple scattering by a linear array of conducting spheres. *Can J Phys* 1990a;68:1157–65.
- Hamid A-K, Ciric IR, Hamid M. Electromagnetic scattering by an arbitrary configuration of dielectric spheres. *Can J Phys* 1990b;68:1419–28.
- Hamid A-K, Ciric IR, Hamid M. Iterative solution of the scattering by an arbitrary configuration of conducting or dielectric spheres. *IEE Proc H* 1991;138:565–72.
- Hamid A-K, Ciric IR, Hamid M. Analytic solutions of the scattering by two multilayered dielectric spheres. *Can J Phys* 1992;70:696–705.
- Hamid A-K, Hussein MI, Hamid M. Radar cross section of a system of conducting spheres each coated with a dielectric layer. *J Electromagn Waves Appl* 2003;17:431–45.
- Havemann S, Baran AJ. Extension of *T*-matrix to scattering of electromagnetic plane waves by nonaxisymmetric dielectric particles: application to hexagonal ice cylinders. *JQSRT* 2001;70:139–58.
- Havemann S, Baran AJ, Edwards JM. Implementation of the *T*-matrix method on a massively parallel machine: a comparison of hexagonal ice cylinder single-scattering properties using the *T*-matrix and improved geometric optics methods. *JQSRT* 2003;79–80:707–20.

- Heintzenberg J, Okada K, Luo BP. Distribution of optical properties among atmospheric submicrometer particles of given electrical mobilities. *J Geophys Res* 2002;107 (doi:10.1029/2001JD000372).
- Hill SC, Benner RE. Morphology-dependent resonances. In: Barber PW, Chang RK., editors. Optical effects associated with small particles. Singapore: World Scientific; 1988. p. 3–61.
- Hill SC, Hill AC, Barber PW. Light scattering by size/shape distributions of soil particles and spheroids. *Appl Opt* 1984;23: 1025–31.
- Hill SC, Videen G, Pendleton JD. Reciprocity method for obtaining the far fields generated by a source inside or near a microparticle. *J Opt Soc Am B* 1997;14:2522–9.
- Hızal A. Scattering from perfect conductors and layered dielectrics using both incoming and outgoing wave functions. In: Varadan VK, Varadan VV., editors. Acoustic, electromagnetic and elastic wave scattering—focus on the T -matrix approach. New York: Pergamon Press; 1980. p. 169–90.
- Ho KC, Allen FS. An approach to the inverse obstacle problem from the scattering Mueller matrix. *Inverse Probl* 1994;10: 387–400.
- Hofer M, Glatter O. Mueller matrix calculations for randomly oriented rotationally symmetric objects with low contrast. *Appl Opt* 1989;28:2389–400.
- Hogan RJ, Illingworth AJ, Sauvageot H. Measuring crystal size in cirrus using 35- and 84-GHz radars. *J Atmos Oceanic Technol* 2000;17:27–37.
- Holler S, Pan Y, Chang RK. et al. Two-dimensional angular optical scattering for the characterization of airborne microparticles. *Opt Lett* 1998;23:1489–91.
- Holler S, Auger J-C, Stout B. et al. Observations and calculations of light scattering from clusters of spheres. *Appl Opt* 2000;39:6873–87.
- Holt AR. The Fredholm integral equation method and comparison with the T -matrix approach. In: Varadan VK, Varadan VV., editors. Acoustic electromagnetic and elastic wave scattering—focus on the T -matrix approach. New York: Pergamon Press; 1980. p. 255–68.
- Holt AR. The scattering of electromagnetic waves by single hydrometeors. *Radio Sci* 1982;17:929–45.
- Höpfner M, Blumenstock T, Hase F. et al. Mountain polar stratospheric cloud measurements by ground based FTIR solar absorption spectroscopy. *Geophys Res Lett* 2001;28:2189–92.
- Hovenier JW, Mackowski DW. Symmetry relations for forward and backward scattering by randomly oriented particles. *JQSRT* 1998;60:483–92.
- Hovenier JW, Lumme K, Mishchenko MI. et al. Computations of scattering matrices of four types of non-spherical particles using diverse methods. *JQSRT* 1996;55:695–705.
- Hu R-M, Carslaw KS, Hostetler C. et al. Microphysical properties of wave polar stratospheric clouds retrieved from lidar measurements during SOLVE/THESEO 2000. *J Geophys Res* 2002;107:8294.
- Huang X, Jin Y-Q. Numerical simulations of polarized scattering from random clusters of spatially-oriented, nonspherical scatterers. *J Electron* 1998;15:267–73.
- Hubbert JC, Bringi VN. Studies of the polarimetric covariance matrix. II: modeling and polarization errors. *J Atmos Oceanic Technol* 2003;20:1011–22.
- Iatì MA, Cecchi-Pestellini C, Williams DA. et al. Porous interstellar grains. *Mon Not R Astron Soc* 2001;322:749–56.
- Ioannidou MP, Chrissoulidis DP. Electromagnetic-wave scattering by a sphere with multiple spherical inclusions. *J Opt Soc Am A* 2002;19:505–12.
- Ioannidou MP, Skaropoulos NC, Chrissoulidis DP. Study of interactive scattering by clusters of spheres. *J Opt Soc Am A* 1995;12:1782–9.
- Ioannidou MP, Bakatsoula DI, Chrissoulidis DP. Scattering of radiowaves by melting ice particles: an eccentric spheres model. *JQSRT* 1999;63:585–97.
- Ishikawa H, Tamaru H, Miyano K. Microsphere resonators strongly coupled to a plane dielectric substrate: coupling via the optical near field. *J Opt Soc Am A* 2000;17:802–13.
- Ishimaru A, Lesselier D, Yeh C. Multiple scattering calculations for nonspherical particles based on the vector radiative transfer theory. *Radio Sci* 1984;19:1356–66.
- Iskander MF, Lakhtakia A. Extension of the iterative EBCM to calculate scattering by low-loss or lossless elongated dielectric objects. *Appl Opt* 1984;23:948–53.
- Iskander MF, Barber PW, Durney CH, Massoudi H. Irradiation of prolate spheroidal models of humans in the near field of a short electric dipole. *IEEE Trans Microwave Theory Tech* 1980;28:801–7.

- Iskander MF, Lakhtakia A, Durney CH. A new iterative procedure to solve for scattering and absorption by dielectric objects. *Proc IEEE* 1982;70:1361–2.
- Iskander MF, Lakhtakia A, Durney CH. A new procedure for improving the solution stability and extending the frequency range of EBCM. *IEEE Trans Antennas Propag* 1983;31:317–24.
- Iskander MF, Olson SC, Benner RE, Yoshida D. Optical scattering by metallic and carbon aerosols of high aspect ratio. *Appl Opt* 1986;25:2514–20.
- Iskander MF, Chen HY, Penner JE. Optical scattering and absorption by branched chains of aerosols. *Appl Opt* 1989a;28:3083–91.
- Iskander MF, Chen HY, Duong TV. A new sectioning procedure for calculating scattering and absorption by elongated dielectric objects. *IEEE Trans Electromagn Compat* 1989b;31:157–63.
- Jain YM, Watson PA. Attenuation in melting snow on microwave- and millimetre-wave terrestrial radio links. *Electron Lett* 1985;21:68–9.
- Jakeman E. Polarization fluctuations in light scattered by small particles. In: Moreno F, González F, editors. *Light scattering from microstructures*. Berlin: Springer; 2000. p. 179–89.
- Jalava J-P, Taavitsainen V-M, Haario H, Lamberg L. Determination of particle and crystal size distribution from turbidity spectrum of TiO₂ pigments by means of *T*-matrix. *JQSRT* 1998;60:399–409.
- Jin Y-Q, Huang X. Numerical simulations of *T*-matrix solution for polarized bistatic scattering from a cluster of scatterers. *Opt Commun* 1996a;124:27–32.
- Jin Y-Q, Huang X. Numerical *T*-matrix solution for polarized scattering from a cluster of spatially oriented, nonspherical scatterers. *Microwave Opt Technol Lett* 1996b;12:154–8.
- Johnson BR. Light scattering from a spherical particle on a conducting plane. 1. Normal incidence. *J Opt Soc Am A* 1992;9:1341–51 (Errata: 1993;10:766).
- Johnson BR. Morphology-dependent resonances of a dielectric sphere on a conducting plane. *J Opt Soc Am A* 1994;11:2055–64.
- Johnson BR. Calculation of light scattering from a spherical particle on a surface by the multipole expansion method. *J Opt Soc Am A* 1996;13:326–37.
- Jones PD, Mackowski DW. Non-Kirchhoff surface using media with directionally varying absorption efficiency. *J Thermophys Heat Transfer* 1995;9:202–9.
- Joshi JJ, Shah HS, Mehta RV. Application of multiflux theory based on scattering by nonspherical particles to the problem of modeling optical characteristics of pigmented paint film. II. *Color Res Appl* 2003;28:308–16.
- Kahn BH, Elderling A, Clough SA, et al. Near micron-sized cirrus cloud particles in high-resolution infrared spectra: an orographic case study. *Geophys Res Lett* 2003;30:1441.
- Kahn R, West R, McDonald D, et al. Sensitivity of multiangle remote sensing observations to aerosol sphericity. *J Geophys Res* 1997;102:16861–70.
- Kahnert M. Reproducing the optical properties of fine desert dust aerosols using ensembles of simple model particles. *JQSRT* 2004;85:231–49.
- Kahnert FM, Stamnes JJ, Stamnes K. Application of the extended boundary condition method to homogeneous particles with point-group symmetries. *Appl Opt* 2001a;40:3110–23.
- Kahnert FM, Stamnes JJ, Stamnes K. Application of the extended boundary condition method to particles with sharp edges: a comparison of two surface integration approaches. *Appl Opt* 2001b;40:3101–9.
- Kahnert FM, Stamnes JJ, Stamnes K. Can simple particle shapes be used to model scalar optical properties of an ensemble of wavelength-sized particles with complex shapes? *J Opt Soc Am A* 2002a;19:521–31.
- Kahnert FM, Stamnes JJ, Stamnes K. Using simple particle shapes to model the Stokes scattering matrix of ensembles of wavelength-sized particles with complex shapes: possibilities and limitations. *JQSRT* 2002b;74:167–82.
- Kahnert FM, Stamnes JJ, Stamnes K. Surface-integral formulation for electromagnetic scattering in spheroidal coordinates. *JQSRT* 2003;77:61–78.
- Kalashnikova OV, Kahn R, Sokolik IN, Li W-H. Ability of multiangle remote sensing observations to identify and distinguish mineral dust types: optical models and retrievals of optically thick plumes. *J Geophys Res* 2005;110:D18S14.
- Karlsson A, Kristensson G. Electromagnetic scattering from subterranean obstacles in a stratified ground. *Radio Sci* 1983;18:345–56.
- Kattawar GW, Dean CE. Electromagnetic scattering from two dielectric spheres: comparison between theory and experiment. *Opt Lett* 1983;8:48–50.

- Keenan TD, Carey LD, Zrnić DS, May PT. Sensitivity of 5-cm wavelength polarimetric radar variables to raindrop axial ratio and drop size distribution. *J Appl Meteorol* 2001;40:526–45.
- Kennedy PC, Rutledge SA, Petersen WA, Bringi VN. Polarimetric radar observations of hail formation. *J Appl Meteorol* 2001;40:1347–66.
- Kerola DX, Larson SM. Analysis of coma dust optical properties in comet C/1995 O1 (Hale-Bopp). II. Effects of polarization. *Icarus* 2001;149:351–6.
- Khlebtsov NG. Light attenuation and scattering by a chaotically oriented ensemble: exact solutions in the *T*-matrix approach. *Opt Spectrosc* 1991;71:88–9.
- Khlebtsov NG. Orientational averaging of light-scattering observables in the *T*-matrix approach. *Appl Opt* 1992;31:5359–65.
- Khlebtsov NG. The determination of the average particle size by the relaxation of optical orientational effects. *Colloid J* 1998;60:388–94.
- Khlebtsov NG, Mel'nikov AG. Depolarization of light scattered by fractal smoke clusters: an approximate anisotropic model. *Opt Spectrosc* 1995;79:605–9.
- Khlebtsov NG, Melnikov AG. Structural anisotropy of fractal clusters and orientational optic effects in transmitted light. *Colloid J* 1998;60:781–9.
- Khlebtsov NG, Melnikov AG, Bogatyrev VA. The linear dichroism and birefringence of colloidal dispersions: approximate and exact approaches. *J Colloid Interface Sci* 1991;146:463–78.
- Khlebtsov NG, Melnikov AG, Bogatyrev VA, Sirota AI. The orientational optic effects in colloidal systems: approximate and exact approaches. In: Jennings BR, Stoylov SP, editors. *Colloid and molecular electrooptics*. Bristol: IOP Publishing; 1992. p. 13–20.
- Khlebtsov N, Melnikov A, Shchyogolev S. et al. Anisotropic and spectral properties of biological scattering objects with the ordered particle orientation. *Proc SPIE* 1994;2082:33–42.
- Khlebtsov NG, Bogatyrev VA, Dykman LA, Melnikov AG. Optical properties of colloidal gold and its biospecific conjugates. *Colloid J* 1995;57:384–95.
- Khlebtsov NG, Bogatyrev VA, Dykman LA, Mel'nikov AG. Spectral properties of colloidal gold. *Opt Spectrosc* 1996a;80:113–21.
- Khlebtsov NG, Bogatyrev VA, Dykman LA, Melnikov AG. Spectral extinction of colloidal gold and its biospecific conjugates. *J Colloid Interface Sci* 1996b;180:436–45.
- Khlebtsov NG, Melnikov AG, Bogatyrev VA, Sirota AI. Electrooptics effects in dilute suspensions of bacterial cells and fractal aggregates. *JQSRT* 1999a;63:469–78.
- Khlebtsov NG, Melnikov AG, Bogatyrev VA. Relaxation optic phenomena in polydisperse suspensions and determination of particle sizes using transmitted light parameters. *Colloids Surf A* 1999b;148:17–28.
- Khlebtsov NG, Dykman LA, Krasnov YaM, Mel'nikov AG. Light absorption by the clusters of colloidal gold and silver particles formed during slow and fast aggregation. *Colloid J* 2000;62:765–79.
- Khlebtsov NG, Bogatyrev VA, Dykman LA. et al. Optical properties of colloidal-gold bioconjugates. *Izv Vuzov Appl Nonlin Dynamics* 2002a;10 (Special English Issue No. 3):172–87.
- Khlebtsov NG, Maksimova IL, Tuchin VV, Wang L. Introduction to light scattering by biological objects. In: Tuchin VV, editor. *Handbook of optical biomedical diagnostics*. Bellingham, WA: SPIE Press; 2002. p. 31–167.
- Khlebtsov NG, Trachuk LA, Mel'nikov AG. A new spectral resonance of metallic nanorods. *Opt Spectrosc* 2004a;97:97–9.
- Khlebtsov NG, Melnikov AG, Dykman LA, Bogatyrev VA. Optical properties and biomedical applications of nanostructures based on gold and silver bioconjugates. In: Videen G, Yatskiv Ya, Mishchenko M., editors. *Photopolarimetry in remote sensing*. Dordrecht, The Netherlands: Kluwer Academic Publishers; 2004b. p. 265–308.
- Kim JH, Ehrman SH, Mulholland GW, Germer TA. Polarized light scattering by dielectric and metallic spheres on silicon wafers. *Appl Opt* 2002;41:5405–12.
- Kim JH, Ehrman SH, Mulholland GW, Germer TA. Polarized light scattering by dielectric and metallic spheres on oxidized silicon surfaces. *Appl Opt* 2004;43:585–91.
- Kimura H. Light-scattering properties of fractal aggregates: numerical calculations by a superposition technique and the discrete-dipole approximation. *JQSRT* 2001;70:581–94.
- Kimura H, Kolokolova L, Mann I. Optical properties of cometary dust. Constraints from numerical studies on light scattering by aggregate particles. *Astron Astrophys* 2003;407:L5–8.
- Kiselev AD, Reshetnyak VYu, Sluckin TJ. Light scattering by optically anisotropic scatterers: *T*-matrix theory for radial and uniform anisotropies. *Phys Rev E* 2002;65:056609.

- Kleinman RE, Roach GF, Ström SEG. The null field method and modified Green functions. *Proc Roy Soc London A* 1984;394: 121–36.
- Kollias P, Albrecht BA, Marks Jr FD. Raindrop sorting induced by vertical drafts in convective clouds. *Geophys Res Lett* 2001;28:2787–90.
- Kollias P, Albrecht BA, Marks Jr F. Why Mie? Accurate observations of vertical air velocities and raindrops using a cloud radar. *Bull Am Meteorol Soc* 2002;83:1471–83.
- Kollias P, Albrecht BA, Marks Jr FD. Cloud radar observations of vertical drafts and microphysics in convective rain. *J Geophys Res* 2003;108:4053.
- Kokolova L, Jockers K, Chernova G, Kiselev N. Properties of cometary dust from color and polarization. *Icarus* 1997;126: 351–61.
- Kokolova L, Hanner MS, Lvasseur-Regourd A-C, Gustafson BÅS. Physical properties of cometary dust from light scattering and thermal emission. In: Festou MC, Keller HU, Weaver HA., editors. *Comets II*. Tucson, AZ: University of Arizona Press; 2004. p. 577–604.
- Kouzoubov A, Brennan MJ, Thomas JC. Treatment of polarization in laser remote sensing of ocean water. *Appl Opt* 1998;37: 3873–85.
- Kouzoubov A, Brennan MJ, Thomas JC, Abbot RH. Monte Carlo simulations of the influence of particle nonsphericity on remote sensing of ocean water. *J Geophys Res* 1999;104:31731–7.
- Krieger UK, Braun C, Imbach L. et al. An experimental examination of intensity fluctuations of a host droplet containing an inclusion. *JQSRT* 2003;79/80:873–80.
- Krieger UK, Corti T, Videen G. Using photon-counting histograms to characterize levitated liquid aerosol particles with a single, solid inclusion. *JQSRT* 2004;89:191–200.
- Kristensson G. Electromagnetic scattering from buried inhomogeneities—a general three-dimensional formalism. *J Appl Phys* 1980;51:3486–500.
- Kristensson G. Natural frequencies of circular disks. *IEEE Trans Antennas Propag* 1984;32:442–8.
- Kristensson G, Ström S. The T matrix approach to scattering from buried inhomogeneities. In: Varadan VK, Varadan VV., editors. *Acoustic electromagnetic and elastic wave scattering—focus on the T -matrix approach*. New York: Pergamon Press; 1980. p. 135–67.
- Kristensson G, Ström S. Electromagnetic scattering from geophysical targets by means of the T -matrix approach: a review of some recent results. *Radio Sci* 1982;17:903–12.
- Kristensson G, Waterman PC. The T matrix for acoustic and electromagnetic scattering by circular disks. *J Acoust Soc Am* 1982;72:1612–25.
- Kristensson G, Ramm AG, Ström S. Convergence of the T matrix approach in scattering theory. II. *J Math Phys* 1983;24: 2619–31.
- Krotkov NA, Krueger AJ, Bhartia PK. Ultraviolet optical model of volcanic clouds for remote sensing of ash and sulfur dioxide. *J Geophys Res* 1997;102:21891–904.
- Krotkov NA, Flittner DE, Krueger AJ. et al. Effect of particle non-sphericity on satellite monitoring of drifting volcanic ash clouds. *JQSRT* 1999;63:613–30.
- Kuik F, de Haan JF, Hovenier JW. Benchmark results for single scattering by spheroids. *JQSRT* 1992;47:477–89.
- Kuik F, de Haan JF, Hovenier JW. Single scattering of light by circular cylinders. *Appl Opt* 1994;33:4906–18.
- Kummerow CD, Weinman JA. Radiative properties of deformed hydrometeors for commonly used passive microwave frequencies. *IEEE Trans Geosci Remote Sens* 1988;26:629–38.
- Lacis AA, Mishchenko MI. Climate forcing, climate sensitivity, and climate response: a radiative modeling perspective on atmospheric aerosols. In: Charlson R, Heintzenberg J., editors. *Aerosol forcing of climate*. New York: Wiley; 1995. p. 11–42.
- Lai HM, Lam CC, Leung PT, Young K. Effect of perturbations on the widths of narrow morphology-dependent resonances in Mie scattering. *J Opt Soc Am B* 1991;8:1962–73.
- Laitinen H, Lumme K. T -matrix method for general star-shaped particles: first results. *JQSRT* 1998;60:325–34.
- Lakhtakia A. The extended boundary condition method for scattering by a chiral scatterer in a chiral medium: formulation and analysis. *Optik* 1991;86:155–61.
- Lakhtakia A, Iskander MF. Theoretical and experimental evaluation of power absorption in elongated biological objects at and beyond resonance. *IEEE Trans Electromagn Compat* 1983a;25:448–53.
- Lakhtakia A, Iskander MF. Scattering and absorption characteristics of lossy dielectric objects exposed to the near fields of aperture sources. *IEEE Trans Antennas Propag* 1983b;31:111–20.

- Lakhtakia A, Iskander MF, Durney CH, Massoudi H. Near-field absorption in prolate spheroidal models of humans exposed to a small loop antenna of arbitrary orientation. *IEEE Trans Microwave Theory Tech* 1981;29:588–94.
- Lakhtakia A, Iskander MF, Durney CH, Massoudi H. Irradiation of prolate spheroidal models of humans and animals in the near field of a small loop antenna. *Radio Sci* 1982a;17:77S–84S.
- Lakhtakia A, Iskander MF, Durney CH, Massoudi H. Absorption characteristics of prolate spheroidal models exposed to the near fields of electrically small apertures. *IEEE Trans Biomed Eng* 1982b;29:569–76.
- Lakhtakia A, Iskander MF, Durney CH. An iterative extended boundary condition method for solving the absorption characteristics of lossy dielectric objects of large aspect ratios. *IEEE Trans Microwave Theory Tech* 1983;31:640–7.
- Lakhtakia A, Varadan VK, Varadan VV. Scattering by highly aspherical targets: EBCM coupled with reinforced orthogonalization. *Appl Opt* 1984a;23:3502–4.
- Lakhtakia A, Varadan VK, Varadan VV. Scattering by lossy dielectric nonspherical objects with nonvanishing magnetic susceptibility. *J Appl Phys* 1984b;56:3057–60.
- Lakhtakia A, Sitaram N, Varadan VK, Varadan VV. Post-resonance scattering by lossy dielectric biological targets: point dipole sources. *Innov Tech Biol Med* 1984c;5:417–24.
- Lakhtakia A, Varadan VK, Varadan VV. Scattering and absorption characteristics of lossy dielectric, chiral, nonspherical objects. *Appl Opt* 1985;24:4146–54.
- Lambert S, Moustier S, Dussouillez Ph. et al. Analysis of the structure of very large bacterial aggregates by small-angle multiple light scattering and confocal image analysis. *J Colloid Interface Sci* 2003;262:384–90.
- Landgraf M, Augustsson K, Grün E, Gustafson BÅS. Deflection of the local interstellar dust flow by solar radiation pressure. *Science* 1999;286:2319–22.
- Lapalme R, Patitsas TAJ. Light scattering by anthophyllite-crocidolite asbestos fibers. I. The domain of convergence of the EBCM theory. *Part Part Syst Charact* 1993a;10:111–7.
- Lapalme R, Patitsas TAJ. Light scattering by anthophyllite-crocidolite asbestos fibers. II. Comparison of various approximate theories with the EBCM theory. *Part Part Syst Charact* 1993b;10:212–21.
- Latimer P, Barber P. Scattering by ellipsoids of revolution: a comparison of theoretical methods. *J Colloid Interface Sci* 1978;63:310–6.
- Lazzari R, Simonsen I, Bedeaux D. et al. Polarizability of truncated spheroidal particles supported by a substrate: model and applications. *Eur Phys J B* 2001;24:267–84.
- Lazzari R, Roux S, Simonsen I. et al. Multipolar plasmon resonances in supported silver particles: the case of $\text{Ag}/\alpha\text{-Al}_2\text{O}_3$ (0001). *Phys Rev B* 2002;65:235424.
- Lee SC. Light scattering by closely spaced parallel cylinders embedded in a finite dielectric slab. *J Opt Soc Am A* 1999;16:1350–61.
- Lee SC, Grzesik JA. Light scattering by closely spaced parallel cylinders embedded in a semi-infinite dielectric medium. *J Opt Soc Am A* 1998;15:163–73.
- Lee Y-K, Yang P, Mishchenko MI. et al. Use of circular cylinders as surrogates for hexagonal pristine ice crystals in scattering calculations at infrared wavelengths. *Appl Opt* 2003;42:2653–64.
- Lewin L. On the restricted validity of point-matching techniques. *IEEE Trans Microwave Theory Tech* 1970;18:1041–7.
- Li L-W, Leong M-S, Huang Y. Electromagnetic radiation of antennas in the presence of an arbitrarily shaped dielectric object: Green dyadics and their applications. *IEEE Trans Antennas Propag* 2001;49:84–90.
- Liang S, Mishchenko MI. Calculations of the soil hot spot effect using the coherent backscattering theory. *Remote Sens Environ* 1997;60:163–73.
- Liou KN, Cai Q, Barber PW, Hill SC. Scattering phase matrix comparison for randomly hexagonal cylinders and spheroids. *Appl Opt* 1983;22:1684–7.
- Litvinov PV, Tishkovets VP, Muinonen K, Videen G. Coherent opposition effect for discrete random media. In: van Tiggelen B, Skipetrov SE., editors. *Wave scattering in complex media*. Dordrecht, The Netherlands: Kluwer Academic Publishers; 2003. p. 567–81.
- Liu L, Mishchenko MI. Constraints on PSC particle microphysics derived from lidar observations. *JQSRT* 2001;70:817–31.
- Liu Y, Arnott WP, Hallett J. Anomalous diffraction theory for arbitrarily oriented finite circular cylinders and comparison with exact T -matrix results. *Appl Opt* 1998;37:5019–30.
- Liu Y, Arnott WP, Hallett J. Particle size distribution retrieval from multispectral optical depth: influences of particle nonsphericity and refractive index. *J Geophys Res* 1999;104:31753–62.

- Liu C, Weigel T, Schweiger G. Structural resonances in a dielectric sphere on a dielectric surface illuminated by an evanescent wave. *Opt Commun* 2000a;185:249–61.
- Liu S, Li LW, Leong MS, Yeo TS. Scattering by an arbitrarily shaped rotationally uniaxial anisotropic object: electromagnetic fields and dyadic Green's functions. *Progr Electromagn Res* 2000b;29:87–106.
- Liu Zh, Sugimoto N, Murayama T. Extinction-to-backscatter ratio of Asian dust observed with high-spectral-resolution lidar and Raman lidar. *Appl Opt* 2002;41:2760–7.
- Lopatin VN, Paramonov LYe. Investigation of the scattering cross sections and scattering matrices of horizontally and randomly oriented "soft" particles. *Izvestiya Atmos Oceanic Phys* 1989;25:449–53.
- Lopatin VN, Sid'ko FYa. Introduction to optics of cell suspensions. Novosibirsk: Nauka; 1988 (in Russian).
- Lopatin VN, Sid'ko FYa, Paramonov LYe. Estimation of the light scattering and absorbing properties of suspensions of "soft" spheroidal particles in the Rayleigh approximation and the anomalous diffraction approximation. *Izv Atmos Oceanic Phys* 1987;23:555–61.
- Lu C-C, Chew WC. A recursive aggregation method for the computation of electromagnetic scattering by randomly distributed particles. *Microwave Opt Technol Lett* 1993;6:774–7.
- Lu C-C, Chew WC. The use of Huygens' equivalence principle for solving 3-D volume integral equation of scattering. *IEEE Trans Antennas Propag* 1995;43:500–7.
- Lu CC, Chew WC, Tsang L. The application of recursive aggregate T -matrix algorithm in the Monte Carlo simulations of the extinction rate of random distribution of particles. *Radio Sci* 1995;30:25–8.
- Lucas PW. Computation of light scattering in young stellar objects. *JQSRT* 2003;79/80:921–37.
- Lumme K. Scattering properties of interplanetary dust particles. In: Mishchenko MI, Hovenier JW, Travis LD., editors. *Light scattering by nonspherical particles: theory, measurements, and applications*. San Diego: Academic Press; 2000. p. 555–83.
- Lumme K, Rahola J. Comparison of light scattering by stochastically rough spheres, best-fit spheroids and spheres. *JQSRT* 1998;60:439–50.
- Luo BP, Voigt C, Fueglistaler S, Peter T. Extreme NAT supersaturations in mountain wave ice PSCs: a clue to NAT formation. *J Geophys Res* 2003;108:4441.
- Ma Y, Varadan VV, Varadan VK. Scattered intensity of a wave propagating in a discrete random medium. *Appl Opt* 1988;27: 2469–77.
- Macke A, Mishchenko MI, Muinonen K, Carlson BE. Scattering of light by large nonspherical particles: ray tracing approximation versus T -matrix method. *Opt Lett* 1995;20:1934–6.
- Mackowski DW. Analysis of radiative scattering for multiple sphere configurations. *Proc Roy Soc London A* 1991;433: 599–614.
- Mackowski DW. Calculation of total cross sections of multiple-sphere clusters. *J Opt Soc Am A* 1994;11:2851–61.
- Mackowski DW. An effective medium method for calculation of the T matrix of aggregated spheres. *JQSRT* 2001;70:441–64.
- Mackowski DW. Discrete dipole moment method for calculation of the T matrix for nonspherical particles. *J Opt Soc Am A* 2002;19:881–93.
- Mackowski DW, Jones PD. Theoretical investigation of particles having directionally dependent absorption cross section. *J Thermophys Heat Transfer* 1995;9:193–201.
- Mackowski DW, Mishchenko MI. Calculation of the T matrix and the scattering matrix for ensembles of spheres. *J Opt Soc Am A* 1996;13:2266–78.
- Mannoni A, Flesia C, Bruscaioni P, Ismaelli A. Multiple scattering from Chebyshev particles: Monte Carlo simulations for backscattering in lidar geometry. *Appl Opt* 1996;35:7151–64.
- Manoharan VN, Elssesser MT, Pine DJ. Dense packing and symmetry in small clusters of microspheres. *Science* 2003;301: 483–7.
- Martin PA. On connections between boundary integral equations and T -matrix methods. *Eng Anal Bound Elem* 2003;27: 771–7.
- Massoudi H, Durney CH, Barber PW, Iskander MF. Postresonance electromagnetic absorption by man and animals. *Bioelectromagnetics* 1982;3:333–9.
- Mazumder MdM, Hill SC, Barber PW. Morphology-dependent resonances in inhomogeneous spheres: comparison of the layered T -matrix method and the time-independent perturbation method. *J Opt Soc Am A* 1992;9:1844–53.
- Merchant BL, Moser PJ, Nagl A, Überall H. Complex pole patterns of the scattering amplitude for conducting spheroids and finite-length cylinders. *IEEE Trans Antennas Propag* 1988;36:1769–78.

- Miao J, Johnsen K-P, Buehler S, Kokhanovsky A. The potential of polarization measurements from space at mm and sub-mm wavelengths for determining cirrus cloud parameters. *Atmos Chem Phys* 2003;3:39–48.
- Millar RF. Rayleigh hypothesis in scattering problems. *Electron Lett* 1969;5:416–7.
- Min M, Hovenier JW, de Koter A. Scattering and absorption cross sections for randomly oriented spheroids of arbitrary size. *JQSRT* 2003;79/80:939–51.
- Mishchenko MI. Interstellar light absorption by randomly oriented nonspherical particles. *Sov Astron Lett* 1989;15:299–302.
- Mishchenko MI. Accuracy of Rayleigh approximation in calculation of interstellar extinction curves. *Kinem Phys Celest Bodies* 1990a;6 (3):99–100.
- Mishchenko MI. Calculation of integral scattering characteristics of randomly oriented nonspherical particles. *Kinem Fiz Nebes Tel* 1990b;6 (5):95–6.
- Mishchenko MI. Absorption and polarization of radiation by partially oriented dust grains in the interstellar medium. *Sov Astron Lett* 1990c;16:407–10.
- Mishchenko MI. Extinction of light by randomly-oriented non-spherical grains. *Astrophys Space Sci* 1990d;164:1–13.
- Mishchenko MI. Light scattering by randomly oriented axially symmetric particles. *J Opt Soc Am A* 1991a;8:871–82 (Errata: 1992;9:497).
- Mishchenko MI. Extinction and polarization of transmitted light by partially aligned nonspherical grains. *Astrophys J* 1991b;367:561–74.
- Mishchenko MI. Scattering cross section for randomly oriented particles of arbitrary shape. *Kinem Phys Celest Bodies* 1991c;7 (5):83–6.
- Mishchenko MI. Reflection of polarized light by plane-parallel slabs containing randomly-oriented, nonspherical particles. *JQSRT* 1991d;46:171–81.
- Mishchenko MI. Radiation pressure on randomly-oriented nonspherical particles. *Astrophys Space Sci* 1991e;180:163–9.
- Mishchenko MI. Infrared absorption by shape distributions of NH₃ ice particles: an application to the Jovian atmosphere. *Earth Moon Planets* 1991f;53:149–56.
- Mishchenko MI. Coherent propagation of polarized millimeter waves through falling hydrometeors. *J Electromagn Waves Appl* 1992a;6:1341–51.
- Mishchenko MI. Enhanced backscattering of polarized light from discrete random media: calculations in exactly the backscattering direction. *J Opt Soc Am A* 1992b;9:978–82.
- Mishchenko MI. Light scattering by nonspherical ice grains: an application to noctilucent cloud particles. *Earth Moon Planets* 1992c;57:203–11.
- Mishchenko MI. Light scattering by size–shape distributions of randomly oriented axially symmetric particles of a size comparable to a wavelength. *Appl Opt* 1993;32:4652–66.
- Mishchenko MI. Asymmetry parameters of the phase function for densely packed scattering grains. *JQSRT* 1994;52:95–110.
- Mishchenko MI. Coherent backscattering by two-sphere clusters. *Opt Lett* 1996;21:623–5.
- Mishchenko MI. Calculation of the amplitude matrix for a nonspherical particle in a fixed orientation. *Appl Opt* 2000;39:1026–31.
- Mishchenko MI, Hovenier JW. Depolarization of light backscattered by randomly oriented nonspherical particles. *Opt Lett* 1995;20:1356–8.
- Mishchenko MI, Lacis AA. Morphology-dependent resonances of nearly spherical particles in random orientation. *Appl Opt* 2003;42:5551–6.
- Mishchenko MI, Macke A. Incorporation of physical optics effects and computations of the Legendre expansion for ray-tracing phase functions involving δ -function transmission. *J Geophys Res* 1998;103:1799–805.
- Mishchenko MI, Macke A. How big should hexagonal ice crystals be to produce halos? *Appl Opt* 1999;38:1626–9.
- Mishchenko MI, Mackowski DW. Light scattering by randomly oriented bispheres. *Opt Lett* 1994;19:1604–6.
- Mishchenko MI, Mackowski DW. Electromagnetic scattering by randomly oriented bispheres: comparison of theory and experiment and benchmark calculations. *JQSRT* 1996;55:683–94.
- Mishchenko MI, Sassen K. Depolarization of lidar returns by small ice crystals: an application to contrails. *Geophys Res Lett* 1998;25:309–12.
- Mishchenko MI, Travis LD. *T*-matrix computations of light scattering by large spheroidal particles. *Opt Commun* 1994a;109:16–21.
- Mishchenko MI, Travis LD. Light scattering by polydisperse rotationally symmetric nonspherical particles: linear polarization. *JQSRT* 1994b;51:759–78.

- Mishchenko MI, Travis LD. Light scattering by polydispersions of randomly oriented spheroids with sizes comparable to wavelengths of observation. *Appl Opt* 1994c;33:7206–25.
- Mishchenko MI, Travis LD. Capabilities and limitations of a current FORTRAN implementation of the T -matrix method for randomly oriented, rotationally symmetric scatterers. *JQSRT* 1998;60:309–24.
- Mishchenko MI, Videen G. Single-expansion EBCM computations for osculating spheres. *JQSRT* 1999;63:231–6.
- Mishchenko MI, Mackowski DW, Travis LD. Scattering of light by bispheres with touching and separated components. *Appl Opt* 1995a;34:4589–99.
- Mishchenko MI, Lacis AA, Carlson BE, Travis LD. Nonsphericity of dust-like tropospheric aerosols: implications for aerosol remote sensing and climate modeling. *Geophys Res Lett* 1995b;22:1077–80.
- Mishchenko MI, Travis LD, Macke A. Scattering of light by polydisperse, randomly oriented, finite circular cylinders. *Appl Opt* 1996a;35:4927–40.
- Mishchenko MI, Travis LD, Mackowski DW. T -matrix computations of light scattering by nonspherical particles: a review. *JQSRT* 1996b;55:535–75.
- Mishchenko MI, Travis LD, Kahn RA, West RA. Modeling phase functions for dustlike tropospheric aerosols using a shape mixture of randomly oriented polydisperse spheroids. *J Geophys Res* 1997a;102:16831–47.
- Mishchenko MI, Wielgaard DJ, Carlson BE. T -matrix computations of zenith-enhanced lidar backscatter from horizontally oriented ice plates. *Geophys Res Lett* 1997b;24:771–4.
- Mishchenko MI, Hovenier JW, Wiscombe WJ, Travis LD. Overview of scattering by nonspherical particles. In: Mishchenko MI, Hovenier JW, Travis LD., editors. *Light scattering by nonspherical particles: theory, measurements, and applications*. San Diego: Academic Press; 2000a. p. 29–60.
- Mishchenko MI, Travis LD, Macke A. T -matrix method and its applications. In: Mishchenko MI, Hovenier JW, Travis LD., editors. *Light scattering by nonspherical particles: theory, measurements, and applications*. San Diego: Academic Press; 2000b. p. 147–72.
- Mishchenko MI, Travis LD, Lacis AA. *Scattering, absorption, and emission of light by small particles*. Cambridge: Cambridge University Press; 2002.
- Mishchenko MI, Hovenier JW, Mackowski DW. Single scattering by a small volume element. *J Opt Soc Am A* 2004;21:71–87.
- Mitchell DL, Arnott WP, Schmitt C. et al. Photon tunneling contributions to extinction for laboratory grown hexagonal columns. *JQSRT* 2001;70:761–76.
- Miyazaki H, Jimba Y. *Ab initio* tight-binding description of morphology-dependent resonance in a bisphere. *Phys Rev B* 2000;62:7976–97.
- Miyazaki HT, Miyazaki H, Miyano K. Anomalous scattering from dielectric bispheres in the specular direction. *Opt Lett* 2002;27:1208–10.
- Miyazaki HT, Miyazaki H, Miyano K. Analysis of specular resonance in dielectric bispheres using rigorous and geometrical-optics theories. *J Opt Soc Am A* 2003;20:1771–84.
- Miyazaki HT, Miyazaki H, Jimba Y. et al. Light diffraction from a bilayer lattice of microspheres enhanced by specular resonance. *J Appl Phys* 2004;95:793–805.
- Modinos A. Scattering of electromagnetic waves by a plane of spheres—formalism. *Physica A* 1987;141:575–88.
- Morel A, Antoine D, Gentili B. Bidirectional reflectance of oceanic waters: accounting for Raman emission and varying particle scattering phase function. *Appl Opt* 2002;41:6289–306.
- Morgan MA, Chen CH, Hill SC, Barber PW. Finite element–boundary integral formulation for electromagnetic scattering. *Wave Motion* 1984;6:91–103.
- Morita N. Another method of extending the boundary condition for the problem of scattering by dielectric cylinders. *IEEE Trans Antennas Propag* 1979;27:97–9.
- Mourant JR, Johnson TM, Carpenter S. et al. Polarized angular dependent spectroscopy of epithelial cells and epithelial cell nuclei to determine the size scale of scattering structures. *J Biomed Opt* 2002;7:378–87.
- Mroccka J, Wyczoński D, Onofri F. Optical parameters and scattering properties of red blood cells. *Opt Appl* 2002;32:691–700.
- Mugnai A, Wiscombe WJ. Scattering of radiation by moderately nonspherical particles. *J Atmos Sci* 1980;37:1291–307.
- Mugnai A, Wiscombe WJ. Scattering from nonspherical Chebyshev particles. 1. Cross sections, single-scattering albedo, asymmetry factor, and backscattered fraction. *Appl Opt* 1986;25:1235–44.
- Mugnai A, Wiscombe WJ. Scattering from nonspherical Chebyshev particles. 3. Variability in angular scattering patterns. *Appl Opt* 1989;28:3061–73.

- Müller D, Mattis I, Wandinger U. et al. Saharan dust over a central European EARLINET-AERONET site: combined observations with Raman lidar and Sun photometer. *J Geophys Res* 2003;108:4345.
- Muttiah RS. Application of the T -matrix method to light scattering from a leaf. In: Muttiah RS., editor. From laboratory spectroscopy to remotely sensed spectra of terrestrial ecosystems. Dordrecht, The Netherlands: Kluwer Academic Publishers; 2002. p. 109–20.
- Neo CP, Varadan VK, Varadan VV. Comparison of long-wavelength T -matrix multiple-scattering theory and size-dependent Maxwell–Garnett formula. *Microwave Opt Technol Lett* 1999;23:1–4.
- Ngo D, Pinnick RG. Suppression of scattering resonances in inhomogeneous microdroplets. *J Opt Soc Am A* 1994;11:1352–9.
- Ngo D, Videen G. Light scattering from spheres. *Opt Eng* 1997;36:150–6.
- Ngo D, Videen G, Chýlek P. A FORTRAN code for the scattering of EM waves by a sphere with a nonconcentric spherical inclusion. *Comput Phys Commun* 1996;99:94–112.
- Ngo D, Videen G, Dalling R. Chaotic light scattering from a system of osculating, conducting spheres. *Phys Lett A* 1997;227:197–202.
- Nieminen TA, Rubinsztein-Dunlop H, Heckenberg NR. Calculation and optical measurement of laser trapping forces on non-spherical particles. *JQSRT* 2001a;70:627–37.
- Nieminen TA, Rubinsztein-Dunlop H, Heckenberg NR, Bishop AI. Numerical modelling of optical trapping. *Comput Phys Commun* 2001b;142:468–71.
- Nieminen TA, Rubinsztein-Dunlop H, Heckenberg NR. Calculation of the T -matrix: general considerations and application of the point-matching method. *JQSRT* 2003a;79/80:1019–29.
- Nieminen TA, Rubinsztein-Dunlop H, Heckenberg NR. Multipole expansion of strongly focused laser beams. *JQSRT* 2003b;79/80:1005–17.
- Nilsson AMK, Alsholm P, Karlsson A, Andersson-Engels S. T -matrix computations of light scattering by red blood cells. *Appl Opt* 1998;37:2735–48.
- Nousiainen T, Vermeulen K. Comparison of measured single-scattering matrix of feldspar particles with T -matrix simulations using spheroids. *JQSRT* 2003;79/80:1031–42.
- Oppel UG, Cheng AYS, Ding J. et al. A representation of a multiple scattering lidar return from layers of clouds by a multi-dimensional distribution characterizing the contributions of the diffusion of the emitted beam. *Proc SPIE* 2002;4539:169–79.
- Ovod VI. Modeling of multiple scattering from an ensemble of spheres in a laser beam. Part I. *Syst Charact* 1999;16:106–12.
- Ovod VI, Mackowski DW, Finsy R. Modeling of the effect of multiple scattering in photon correlation spectroscopy: plane-wave approach. *Langmuir* 1998;14:2610–8.
- Paramonov LE. A simple formula for estimation of the absorption cross section of biological suspensions. *Opt Spectrosc* 1994a;77:506–12.
- Paramonov LE. On optical equivalence of randomly oriented ellipsoidal and polydisperse spherical particles. The extinction, scattering and absorption cross sections. *Opt Spectrosc* 1994b;77:589–92.
- Paramonov LE. Mueller matrix for an ensemble of particles of arbitrary shape with an arbitrary square integrable orientation distribution function. *Opt Spectrosc* 1994c;77:819–27.
- Paramonov LE. Few-parameter models for evaluation of cross section of extinction, scattering, and absorption of atmospheric aerosol. *Atmos Oceanic Opt* 1994d;7:613–8.
- Paramonov LE. Extinction and scattering cross sections of randomly oriented particles of arbitrary shape. *Atmos Oceanic Opt* 1994e;7:646–7.
- Paramonov LE. T -matrix approach and the angular momentum theory in light scattering problems by ensembles of arbitrarily shaped particles. *J Opt Soc Am A* 1995a;12:2698–707.
- Paramonov LE. Light attenuation and scattering cross sections for an ensemble of particles of arbitrary shape with an arbitrary orientational distribution function. *Opt Spectrosc* 1995b;79:109–15.
- Paramonov LE, Lopatin VN. Angular dependence of the matrix of light scattering by a suspension of soft spheroidal particles. *Opt Spectrosc* 1989;66:94–6.
- Paramonov LE, Lopatin VN. Convergence of the T -matrix method. *Opt Spectrosc* 1990;69:375–7.
- Paramonov LE, Lopatin VN, Sidko FYa. Dependence of the absorptivity of soft spheroidal particles on their shape and orientation. *Opt Spectrosc* 1986a;60:220–2.
- Paramonov LE, Lopatin VN, Sidko FYa. Light scattering by soft spheroidal particles. *Opt Spectrosc* 1986b;61:358–61.

- Paramonov LE, Lopatin VN, Sidko FY. Effect of the asphericity of oriented soft particles of a polydisperse suspension on the elements of its light scattering matrix. *Opt Spectrosc* 1989;66:231–3.
- Pellegrino P, Videen G, Pinnick RG. Quantitative light scattering angular correlation of conglomerate particles. *Appl Opt* 1997;36:7672–7.
- Peltoniemi JI. Variational volume integral equation method for electromagnetic scattering by irregular grains. *JQSRT* 1996;55:637–47.
- Peter Th, Luo BP, Wirth M. et al. Ultrathin tropical tropopause clouds (UTTCs): I. Cloud morphology and occurrence. *Atmos Chem Phys* 2003;3:1083–91.
- Peterson B. Multiple scattering of waves by an arbitrary lattice. *Phys Rev A* 1977;16:1363–70.
- Peterson B, Ström S. *T*-matrix for electromagnetic scattering from an arbitrary number of scatterers and representations of $E(3)^*$. *Phys Rev D* 1973;8:3661–78.
- Peterson B, Ström S. *T*-matrix formulation of electromagnetic scattering from multilayered scatterers. *Phys Rev D* 1974;10:2670–84.
- Petrova EV. Optical thickness and shape of dust particles of the Martian aerosol. *Solar Syst Res* 1999a;33:260–6.
- Petrova EV. Mars aerosol optical thickness retrieved from measurements of the polarization inversion angle and the shape of dust particles. *JQSRT* 1999b;63:667–76.
- Petrova EV, Markiewicz WJ. Light scattering by nonspherical particles: a modification of the statistical model and application to the Martian aerosol. *Solar Syst Res* 1997;31:369–76.
- Petrova EV, Jockers K, Kiselev NN. Light scattering by aggregates with sizes comparable to the wavelength: an application to cometary dust. *Icarus* 2000;148:526–36.
- Petrova EV, Jockers K, Kiselev NN. A negative branch of polarization for comets and atmosphereless celestial bodies and the light scattering by aggregate particles. *Solar Syst Res* 2001a;35:390–9.
- Petrova EV, Jockers K, Kiselev NN. Light scattering by aggregate particles comparable in size to wavelength: application to cometary dust. *Solar Syst Res* 2001b;35:57–69.
- Pilinis C, Li X. Particle shape and internal inhomogeneity effects on the optical properties of tropospheric aerosols of relevance to climate forcing. *J Geophys Res* 1998;103:3789–800.
- Pinnick RG, Pendleton JD, Videen G. Response characteristics of the particle measuring systems active scattering aerosol spectrometer probes. *Aerosol Sci Technol* 2000;33:334–52.
- Pitter MC, Hopcraft KI, Jakeman E, Walker JG. Structure of polarization fluctuations and their relation to particle shape. *JQSRT* 1999;63:433–44.
- Porco CC, West RA, McEwen A. et al. Cassini imaging of Jupiter's atmosphere, satellites, and rings. *Science* 2003;229:1541–7.
- Porstendorfer J, Berg K-J, Berg G. Calculation of extinction and scattering spectra of large spheroidal gold particles embedded in a glass matrix. *JQSRT* 1999;63:479–86.
- Prabhu DR, Davies M, Videen G. Light scattering calculations from oleic-acid droplets with water inclusions. *Opt Express* 2001;8:308–13.
- Prigent C, Pardo JR, Mishchenko MI, Rossow WB. Microwave polarized signatures generated within cloud systems: Special Sensor Microwave Imager (SSM/I) observations interpreted with radiative transfer simulations. *J Geophys Res* 2001;106:28243–58.
- Prodi F, Sturniolo O, Battaglia A, Medini R. Radar parameters simulation for populations of spherical and non-spherical hydrometeors: dependence on size distributions, shapes and composition. *JQSRT* 1999;63:677–99.
- Pulbere S, Wriedt T. Light scattering by cylindrical fibers with high aspect ratio using the null-field method with discrete sources. *Part Part Syst Charact* 2004;21:213–8.
- Pustovit VN, Sotelo JA, Niklasson GA. Coupled multipolar interactions in small-particle metallic clusters. *J Opt Soc Am A* 2002;19:513–8.
- Qingan W, Zixiang O, Liping L, Zengming C. A comparative study on the backscattering ability of raindrops and ice particles (hail). *Contr Atmos Phys* 1998;71:377–86.
- Quinten M. Optical effects associated with aggregates of clusters. *J Cluster Sci* 1999;10:319–58.
- Quinten M, Kreibig U. Optical extinction spectra of systems of small metal particles with aggregates. In: Gouesbet G, Gréhan G., editors. *Optical particle sizing. Theory and practice*. New York: Plenum Press; 1988. p. 249–58.
- Quinten M, Kreibig U. Absorption and elastic scattering of light by particle aggregates. *Appl Opt* 1993;32:6173–82.
- Quinten M, Pack A, Wannemacher R. Scattering and extinction of evanescent waves by small particles. *Appl Phys B* 1999;68:87–92.

- Quinten M, Friehmelt R, Ebert K-F. Sizing of aggregates of spheres by a white-light optical particle counter with 90° scattering angle. *J Aerosol Sci* 2000;32:63–72.
- Quinten M, Kreibig U, Henning T, Mutschke H. Wavelength-dependent optical extinction of carbonaceous particles in atmospheric aerosols and interstellar dust. *Appl Opt* 2002;41:7102–13.
- Quirantes A. Light scattering properties of spheroidal coated particles in random orientation. *JQSRT* 1999;63:263–75.
- Quirantes A, Delgado AV. Particle size determinations in colloidal suspensions of randomly oriented ellipsoids. *Progr Colloid Polymer Sci* 1995a;98:145–50.
- Quirantes A, Delgado AV. Size-shape determination of nonspherical particles in suspension by means of full and depolarized static light scattering. *Appl Opt* 1995b;34:6256–62.
- Quirantes A, Delgado A. Experimental size determination of spheroidal particles via the T -matrix method. *JQSRT* 1998;60:463–74.
- Quirantes A, Delgado AV. Scattering cross sections of randomly oriented coated spheroids. *JQSRT* 2001;70:261–72.
- Quirantes A, Delgado Á. Cross section calculations of randomly oriented bispheres in the small particle regime. *JQSRT* 2003;78:179–86.
- Quirantes A, Arroyo F, Quirantes-Ros J. Multiple light scattering by spherical particle systems and its dependence on concentration: a T -matrix study. *J Colloid Interface Sci* 2001;240:78–82.
- Ramm AG. Convergence of the T -matrix approach to scattering theory. *J Math Phys* 1982;23:1123–5.
- Ramm AG. Numerically efficient version of the T -matrix method. *Applicable Anal.* 2002;80:385–93.
- Rannou P, Cabane M, Botet R, Chassefière E. A new interpretation of scattered light measurements at Titan's limb. *J Geophys Res* 1997;102:10997–1013.
- Rao TC, Barakat R. Plane-wave scattering by a conducting cylinder partially buried in a ground plane. 1. TM case. *J Opt Soc Am A* 1989;6:1270–80.
- Rao TC, Barakat R. Plane-wave scattering by a conducting cylinder partially buried in a ground plane 2. TE case. *J Opt Soc Am A* 1991;8:1986–90.
- Rao TC, Barakat R. Near field scattering by a conducting cylinder partially buried in a conducting plane. *Opt Commun* 1994;111:18–25.
- Ravey J-C, Mazon P. Light scattering by large spheroids in the physical optics approximation: numerical comparison with other approximate and exact results. *J Opt (Paris)* 1983;14:29–41.
- Reichardt J, Tsias A, Behrendt A. Optical properties of PSC Ia-enhanced at UV and visible wavelengths: model and observations. *Geophys Res Lett* 2000;27:201–4.
- Reichardt J, Reichardt S, Yang P, McGee TJ. Retrieval of polar stratospheric cloud microphysical properties from lidar measurements: dependence on particle shape assumptions. *J Geophys Res* 2002;107:8282.
- Reid JS, Jonsson HH, Maring HB, et al. Comparison of size and morphological measurements of coarse mode dust particles from Africa. *J Geophys Res* 2003;108:8593.
- Roberti L, Kummerow C. Monte Carlo calculations of polarized microwave radiation emerging from cloud structures. *J Geophys Res* 1999;104:2093–104.
- Roessler DM, Wang D-SY, Kerker M. Optical absorption by randomly oriented carbon spheroids. *Appl Opt* 1983;22:3648–51.
- Rother T. Generalization of the separation of variables method for non-spherical scattering of dielectric objects. *JQSRT* 1998;60:335–53.
- Rother T, Kahnert M, Doicu A, Wauer J. Surface Green' function of the Helmholtz equation in spherical coordinates. *Progr Electromagn Res* 2002;38:47–95.
- Roumeliotis JA, Fikioris JG. Scattering of plane waves from an eccentrically coated metallic sphere. *J Franklin Inst* 1981;312:41–59.
- Rozenberg VI. Scattering and attenuation of electromagnetic radiation by atmospheric particles. NASA Technical Translation F-771, Washington, DC: NASA; 1974. (Original Russian edition: Leningrad: Gidrometeoizdat, 1972.)
- Rupp R. Electromagnetic scattering from finite dielectric cylinders. *J Phys D: Appl Phys* 1990;23:757–63.
- Rupp R. Optical absorption of a coated sphere above a substrate. *Physica A* 1991;178:195–205.
- Rupp R. Polariton modes of spheroidal microcrystals. *J Phys: Condens Matter* 1998;10:7869–78.
- Rupp R. Effects of high-order multipoles on the extinction spectra of dispersive bispheres. *Opt Commun* 1999;168:35–8.
- Ryde NP, Matijević E. Color effects of uniform colloidal particles of different morphologies packed into films. *Appl Opt* 1994;33:7275–81.

- Şahin A, Miller EL. Recursive T -matrix methods for scattering from multiple dielectric and metallic objects. *IEEE Trans Antennas Propag* 1998;46:672–8.
- Saija R, Toscano G, Sindoni OI. et al. Effect of the “chemical reactions” on the absorption coefficient of a polydisperse model aerosol. *Nuovo Cim* 1985;85:79–93.
- Saija R, Iatì MA, Borghese F. et al. Beyond Mie theory: the transition matrix approach in interstellar dust modeling. *Astrophys J* 2001a;559:993–1004.
- Saija R, Iatì MA, Denti P. et al. Backscattered intensity from model atmospheric ice crystals in the millimeter-wave range. *Appl Opt* 2001b;40:5337–42.
- Saija R, Iatì MA, Giusto A. et al. Radiation pressure cross-sections of fluffy interstellar grains. *Mon Not R Astron Soc* 2003a;341:1239–45.
- Saija R, Iatì MA, Denti P. et al. Efficient light-scattering calculations for aggregates of large spheres. *Appl Opt* 2003b;42:2785–93.
- Sakai T, Shibata T, Iwasaka Y. et al. Case study of Raman lidar measurements of Asian dust events in 2000 and 2001 at Nagoya and Tsukuba, Japan. *Atmos Environ* 2002;36:5479–89.
- Sakai T, Shibata T, Hara K. et al. Raman lidar and aircraft measurements of tropospheric aerosol particles during the Asian dust event over central Japan: case study on 23 April 1996. *J Geophys Res* 2003;108:4349.
- Schmidt K, Rother T, Wauer J. The equivalence of applying the Extended Boundary Condition and the continuity conditions for solving electromagnetic scattering problems. *Opt Commun* 1998;150:1–4.
- Schnaiter M, Horvath H, Möhler O. et al. UV-VIS-NIR spectral optical properties of soot and soot-containing aerosols. *J Aerosol Sci* 2003;34:1421–44.
- Schneider JB, Peden IC. Differential cross section of a dielectric ellipsoid by the T -matrix extended boundary condition method. *IEEE Trans Antennas Propag* 1988;36:1317–21.
- Schneider J, Brew J, Peden IC. Electromagnetic detection of buried dielectric targets. *IEEE Trans Geosci Remote Sens* 1991;29:555–62.
- Schuh R, Wriedt T. Computer programs for light scattering by particles with inclusions. *JQSRT* 2001;70:715–23.
- Schuh R, Wriedt T. Light scattering by bent cylindrical fibers for fiber length and diameter characterization. *Part Part Syst Charact* 2003;20:243–9.
- Schulz FM, Stamnes K, Stamnes JJ. Scattering of electromagnetic waves by spheroidal particles: a novel approach exploiting the T matrix computed in spheroidal coordinates. *Appl Opt* 1998a;37:7875–96.
- Schulz FM, Stamnes K, Stamnes JJ. Modeling the radiative transfer properties of media containing particles of moderately and highly elongated shape. *Geophys Res Lett* 1998b;25:4481–4.
- Schulz FM, Stamnes K, Stamnes JJ. Point-group symmetries in electromagnetic scattering. *J Opt Soc Am A* 1999a;16:853–65.
- Schulz FM, Stamnes K, Stamnes JJ. Shape dependence of the optical properties in size-shape distributions of randomly oriented prolate spheroids, including highly elongated shapes. *J Geophys Res* 1999b;104:9413–21.
- Secker DR, Greenaway R, Kaye PH. et al. Light scattering from deformed droplets and droplets with inclusions. I. Experimental results. *Appl Opt* 2000;39:5023–30.
- Seliga TA, Bringi VN. Differential reflectivity and differential phase shift: applications in radar meteorology. *Radio Sci* 1978;13:271–5.
- Seow Y-L, Li L-W, Leong M-S. et al. An efficient TCS formula for rainfall microwave attenuation: T -matrix approach and 3-D fitting for oblate spheroidal raindrops. *IEEE Trans Antennas Propag* 1998;46:1176–81.
- Sharma R, Balakrishnan N. Scattering of electromagnetic waves from arbitrary shaped bodies coated with a chiral material. *Smart Mater Struct* 1998;7:851–66.
- Shvalov AN, Soini JT, Surovtsev IV. et al. Individual *Escherichia coli* cells studied from light scattering with the scanning flow cytometer. *Cytometry* 2000;41:41–5.
- Sid'ko FYa, Lopatin VN, Paramonov LYe. Polarization characteristics of suspensions of biological particles. Novosibirsk: Nauka; 1990 (in Russian).
- Simão AG, Guimarães LG, Videen G. A comparative study in resonant light scattering between spherical and cylindrical dielectric hosts with a metallic inclusion. *JQSRT* 2001;70:777–86.
- Simonsen I, Lazzari R, Jupille J, Roux S. Numerical modeling of the optical response of supported metallic particles. *Phys Rev B* 2000;61:7722–33.
- Sindoni OI, Borghese F, Denti P. et al. Multiple electromagnetic scattering from a cluster of spheres. II. Symmetrization. *Aerosol Sci Technol* 1984;3:237–43.

- Sinyuk A, Torres O, Dubovik O. Combined use of satellite and surface observations to infer the imaginary part of refractive index of Saharan dust. *Geophys Res Lett* 2003;30:1081.
- Siqueira PR, Sarabandi K. *T*-matrix determination of effective permittivity for three-dimensional dense random media. *IEEE Trans Antennas Propag* 2000;48:317–27.
- Skaropoulos NC. Backward and forward scattering of electromagnetic waves from partially aligned axially symmetric particles. *JQSRT* 2003;79/80:1061–81.
- Skaropoulos NC, Russchenberg HWJ. Light scattering by arbitrarily oriented rotationally symmetric particles. *J Opt Soc Am A* 2002;19:1583–91.
- Skaropoulos NC, Ioannidou MP, Chrissoulidis DP. Indirect mode-matching solution to scattering from a dielectric sphere with an eccentric inclusion. *J Opt Soc Am A* 1994;11:1859–66.
- Skaropoulos NC, Ioannidou MP, Chrissoulidis DP. Induced EM field in a layered eccentric spheres model of the head: plane-wave and localized source exposure. *IEEE Trans Microwave Theory Tech* 1996;44:1963–73.
- Sreerexha TR, Buehler S, Emde C. A simple new radiative transfer model for simulating the effect of cirrus clouds in the microwave spectral region. *JQSRT* 2002;75:611–24.
- Stefanou N, Modinos A. Scattering of electromagnetic waves by a disordered two-dimensional array of spheres. *J Phys: Condens Matter* 1993;5:8859–68.
- Stein S. Addition theorems for spherical wave functions. *Quart Appl Math* 1961;19:15–24.
- Stout B, Auger J-C, Lafait J. Individual and aggregate scattering matrices and cross-sections: conservation laws and reciprocity. *J Mod Opt* 2001;48:2105–28.
- Stout B, Auger J-C, Lafait J. A transfer matrix approach to local field calculations in multiple-scattering problems. *J Mod Opt* 2002a;49:2129–52.
- Stout B, Andraud C, Prot D. et al. Complete field descriptions in three-dimensional multiple scattering problems: a transfer-matrix approach. *J Opt A: Pure Appl Opt* 2002b;4:S182–7.
- Stout B, Andraud C, Stout S, Lafait J. Absorption in multiple-scattering systems of coated spheres. *J Opt Soc Am A* 2003;20:1050–9.
- Streekstra GJ, Hoekstra AG, Heethaar RM. Anomalous diffraction by arbitrarily oriented ellipsoids: applications in ektacytometry. *Appl Opt* 1994;33:7288–96.
- Ström S. *T* matrix for electromagnetic scattering from an arbitrary number of scatterers with continuously varying electromagnetic properties. *Phys Rev D* 1974;10:2685–90.
- Ström S. On the integral equations for electromagnetic scattering. *Am J Phys* 1975;43:1060–9.
- Ström S. Introduction to integral representations and integral equations for time-harmonic acoustic, electromagnetic and elastodynamic wave fields. In: Varadan VV, Lakhtakia A, Varadan VK., editors. *Field representations and introduction to scattering*. Amsterdam: North-Holland; 1991a. p. 37–141.
- Ström S. The scattered field. In: Varadan VV, Lakhtakia A, Varadan VK., editors. *Field representations and introduction to scattering*. Amsterdam: North-Holland; 1991b. p. 143–64.
- Ström S, Zheng W. Basic features of the null field method for dielectric scatterers. *Radio Sci* 1987;22:1273–81.
- Ström S, Zheng W. The null field approach to electromagnetic scattering from composite objects. *IEEE Trans Antennas Propag* 1988;36:376–82.
- Ström S, Zheng W. Null-field computations of radar cross sections of composite objects. *Proc IEEE* 1989;77:761–9.
- Stubenrauch CJ, Holz R, Chédin A. et al. Retrieval of cirrus ice crystal sizes from 8.3 and 11.1 μm emissivities determined by the improved initialization inversion of TIROS-N Operational Vertical Sounder observations. *J Geophys Res* 1999;104:31793–808.
- Sturniolo O, Mugnai A, Prodi F. A numerical sensitivity study on the backscattering at 35.8 GHz from precipitation-sized hydrometeors. *Radio Sci* 1995;30:903–19.
- Thomas A, Borrmann S, Kiemle C. et al. In situ measurements of background aerosol and subvisible cirrus in the tropical tropopause region. *J Geophys Res* 2002;107 (doi:10.1029/2001JD001385).
- Throop HB, Esposito LW. G ring particle sizes derived from ring plane crossing observations. *Icarus* 1998;131:152–66.
- Tishkovets VP. Light scattering by clusters of spherical particles. Cooperative effects under chaotic orientation. *Kinem Phys Celest Bodies* 1994;10 (2):50–4.
- Tishkovets VP. Backscattering of light by close-packed systems of particles. *Opt Spectrosc* 1998;85:212–7.
- Tishkovets VP. Multiple scattering of light by a layer of discrete random medium: backscattering. *JQSRT* 2002;72:123–37.

- Tishkovets VP, Litvinov PV. Coefficients of light extinction by randomly oriented clusters of spherical particles in the double scattering approximation. *Opt Spectrosc* 1996;81:288–91.
- Tishkovets VP, Litvinov PV. Opposition effects in light scattering by regolith-type media. *Solar Syst Res* 1999;33:162–7.
- Tishkovets VP, Mishchenko MI. Coherent backscattering of light by a layer of discrete random medium. *JQSRT* 2004;86:161–80.
- Tishkovets VP, Shkuratov YuG, Litvinov PV. Comparison of collective effects at scattering by randomly oriented clusters of spherical particles. *JQSRT* 1999;61:767–73.
- Tishkovets VP, Litvinov PV, Lyubchenko MV. Coherent opposition effects for semi-infinite discrete random medium in the double-scattering approximation. *JQSRT* 2002;72:803–11.
- Tishkovets V, Litvinov P, Petrova E. et al. Backscattering effects for discrete random media. In: Videen G, Yatskiv Ya, Mishchenko M. et al., editors. *Photopolarimetry in remote sensing*. Dordrecht, The Netherlands: Kluwer Academic Publishers; 2004a. p. 221–42.
- Tishkovets VP, Petrova EV, Jockers K. Optical properties of aggregate particles comparable in size to the wavelength. *JQSRT* 2004b;86:241–65.
- Toon OB, Browell EV, Kinne S. et al. An analysis of lidar observations of polar stratospheric clouds. *Geophys Res Lett* 1990;17:393–6.
- Toon OB, Tabazadeh A, Browell EV, Jordan J. Analysis of lidar observations of Arctic polar stratospheric clouds during January 1989. *J Geophys Res* 2000;105:20589–615.
- Troitsky AV, Osharin AM, Korolev AV. et al. Studying the polarization characteristics of thermal microwave emission from a cloudy atmosphere. *Radiophys Quant Electron* 2001;44:935–48.
- Troitsky AV, Osharin AM, Korolev AV, Strapp JW. Polarization of thermal microwave atmospheric radiation due to scattering by ice particles in clouds. *J Atmos Sci* 2003;60:1608–20.
- Tsang L. Scattering of electromagnetic waves from a half space of nonspherical particles. *Radio Sci* 1984;19:1450–60.
- Tsang L, Kong JA. Multiple scattering of electromagnetic waves by random distributions of discrete scatterers with coherent potential and quantum mechanical formalism. *J Appl Phys* 1980;51:3465–85.
- Tsang L, Kong JA. Effective propagation constants for coherent electromagnetic wave propagation in media embedded with dielectric scatterers. *J Appl Phys* 1982;53:7162–73.
- Tsang L, Kong JA. Scattering of electromagnetic waves from a half space of densely distributed dielectric scatterers. *Radio Sci* 1983;18:1260–72.
- Tsang L, Kong JA. *Scattering of electromagnetic waves: advanced topics*. New York: Wiley; 2001.
- Tsang L, Kong JA, Shin RT. Radiative transfer theory for active remote sensing of a layer of nonspherical particles. *Radio Sci* 1984;19:629–42.
- Tsang L, Kong JA, Shin RT. *Theory of microwave remote sensing*. New York: Wiley; 1985.
- Tsang L, Mandt CE, Ding KH. Monte Carlo simulations of the extinction rate of dense media with randomly distributed dielectric spheres based on solution of Maxwell's equations. *Opt Lett* 1992;17:314–6.
- Tsang L, Kong JA, Ding K-H. *Scattering of electromagnetic waves: theories and applications*. New York: Wiley; 2000.
- Tsang L, Kong JA, Ding K-H, Ao CO. *Scattering of electromagnetic waves: numerical simulations*. New York: Wiley; 2001.
- Tsias A, Wirth M, Carslaw KS. et al. Aircraft observations of an enhanced type Ia polar stratospheric clouds during APE-POLECAT. *J Geophys Res* 1999;104:23961–9.
- Tzeng YC, Fung AK. *T*-matrix approach to multiple scattering of EM waves from N-spheres. *J Electromagn Waves Appl* 1994;8:61–84.
- Tzeng H-M, Long MB, Chang RK, Barber PW. Laser-induced shape distortions of flowing droplets deduced from morphology-dependent resonances in fluorescence spectra. *Opt Lett* 1985;10:209–11.
- Überall H, Moser PJ, Merchant BL. et al. Complex acoustic and electromagnetic resonance frequencies of prolate spheroids and related elongated objects and their physical interpretation. *J Appl Phys* 1985;58:2109–24.
- Usami A. Rigorous solutions of light scattering of neighboring TiO₂ particles in nanocrystalline films. *Solar Energy Mater Solar Cells* 1999;59:163–6.
- Varadan VK. Multiple scattering of acoustic, electromagnetic and elastic waves. In: Varadan VK, Varadan VV., editors. *Acoustic, electromagnetic and elastic wave scattering—focus on the T-matrix approach*. New York: Pergamon Press; 1980. p. 103–34.
- Varadan VV, Varadan VK. Multiple scattering of electromagnetic waves by randomly distributed and oriented dielectric scatterers. *Phys Rev D* 1980a;21:388–94.

- Varadan VK, Varadan VV, editors. Acoustic, electromagnetic and elastic wave scattering—focus on the T -matrix approach. New York: Pergamon Press; 1980b.
- Varadan VK, Bringi VN, Varadan VV. Coherent electromagnetic wave propagation through randomly distributed dielectric scatterers. *Phys Rev D* 1979;19:2480–9.
- Varadan VK, Bringi VN, Varadan VV, Ishimaru A. Multiple scattering theory for waves in discrete random media and comparison with experiments. *Radio Sci* 1983;18:321–7.
- Varadan VK, Ma Y, Varadan VV. Coherent electromagnetic wave propagation through randomly distributed and oriented pair-correlated dielectric scatterers. *Radio Sci* 1984;19:1445–9.
- Varadan VV, Ma Y, Varadan VK. Propagator model including multipole fields for discrete random media. *J Opt Soc Am A* 1985a;2:2195–201.
- Varadan VV, Ma Y, Varadan VK. Anisotropic dielectric properties of media containing aligned non-spherical scatterers. *IEEE Trans Antennas Propag* 1985b;33:886–90.
- Varadan VV, Varadan VK, Ma Y, Steele WA. Effects of nonspherical statistics on EM wave propagation in discrete random media. *Radio Sci* 1987;22:491–8.
- Varadan VV, Lakhtakia A, Varadan VK. Comments on recent criticism of the T -matrix method. *J Acoust Soc Am* 1988;84:2280–4.
- Vargas WE. Optical properties of pigmented coatings taking into account particle interactions. *JQSRT* 2003;78:187–95.
- Vargas WE, Niklasson GA. Reflectance of pigmented polymer coatings: comparisons between measurements and radiative transfer calculations. *Appl Opt* 2001;40:85–94.
- Vargas WE, Niklasson GA. Light-scattering from particles. In: Encyclopedia of surface and colloid science. New York: Marcel Dekker; 2002. p. 3044–56.
- Vargas W, Cruz L, Fonseca LF, Gómez M. T -matrix approach for calculating local fields around clusters of rotated spheroids. *Appl Opt* 1993;32:2164–70.
- Veihelmann B, Volten H, van der Zande WJ. Light reflected by an atmosphere containing irregular mineral dust aerosol. *Geophys Res Lett* 2004;31:L04113.
- Videen G. Light scattering from a sphere on or near a surface. *J Opt Soc Am A* 1991;8:483–9 (Errata: 1992;9:844–5).
- Videen G. Light scattering from a sphere behind a surface. *J Opt Soc Am A* 1993;10:110–7.
- Videen G. Light scattering from a particle on or near a perfectly conducting surface. *Opt Commun* 1995;115:1–7.
- Videen G. Light scattering from an irregular particle behind a plane interface. *Opt Commun* 1996;128:81–90.
- Videen G. Polarized light scattering from surface contaminants. *Opt Commun* 1997;143:173–8.
- Videen G. Light scattering from a sphere near a plane interface. In: Moreno F, González F., editors. Light scattering from microstructures. Berlin: Springer; 2000. p. 81–96.
- Videen G, Bickel WS. An experimental determination of the natural base of logarithms. *J Irreproduc Results* 1991;36 (2):20–2.
- Videen G, Chýlek P. Scattering by a composite sphere with an absorbing inclusion and effective medium approximations. *Opt Commun* 1998;158:1–6.
- Videen G, Ngo D. Light scattering from a cylinder near a plane interface: theory and comparison with experimental data. *J Opt Soc Am A* 1997;14:70–8.
- Videen G, Ngo D. Light scattering multipole solution for a cell. *J Biomed Opt* 1998;3:212–20.
- Videen G, Wolfe WL, Bickel WS. The light-scattering Mueller matrix for a surface contaminated by a single particle in the Rayleigh limit. *Opt Eng* 1992;31:341–9.
- Videen G, Turner MG, Iafelice VJ. et al. Scattering from a small sphere near a surface. *J Opt Soc Am A* 1993;10:118–26.
- Videen G, Ngo D, Chýlek P. Effective-medium predictions of absorption by graphitic carbon in water droplets. *Opt Lett* 1994;19:1675–7.
- Videen G, Ngo D, Chýlek P, Pinnick RG. Light scattering from a sphere with an irregular inclusion. *J Opt Soc Am A* 1995;12:922–8.
- Videen G, Ngo D, Hart MB. Light scattering from a pair of conducting osculating spheres. *Opt Commun* 1996;125:275–87.
- Videen G, Pellegrino P, Ngo D. et al. Light scattering intensity fluctuations in microdroplets containing inclusions. *Appl Opt* 1997a;36:6115–7.
- Videen G, Pellegrino P, Ngo D. et al. Qualitative light scattering angular correlation of conglomerate particles. *Appl Opt* 1997b;36:3532–7.
- Videen G, Pinnick RG, Ngo D. et al. Asymmetry parameter and aggregate particles. *Appl Opt* 1998;37:1104–9.

- Videen G, Sun W, Fu Q. et al. Light scattering from deformed droplets and droplets with inclusions: II. Theoretical treatment. *Appl Opt* 2000;39:5031–9.
- Videen G, Prabhu DR, Davies M. Light scattering fluctuations of a soft spherical particle containing an inclusion. *Appl Opt* 2001;40:4054–7.
- Videen G, Aslan MM, Mengüç MP. Characterization of metallic nano-particles via surface wave scattering: A. Theoretical framework and formulation. *JQSRT* 2005;93:195–206.
- Vivekanandan J, Adams WM, Bringi VN. Rigorous approach to polarimetric radar modeling of hydrometeor orientation distributions. *J Appl Meteorol* 1991;30:1053–63.
- Voigt C, Larsen N, Deshler T. et al. In situ mountain-wave polar stratospheric cloud measurements: implications for nitric acid trihydrate formation. *J Geophys Res* 2003;108:8331.
- Volten H, Jalava J-P, Lumme K. et al. Laboratory measurements and T -matrix calculations of the scattering matrix of rutile particles in water. *Appl Opt* 1999;38:5232–40.
- Voshchinnikov NV, Il'in VB, Henning Th. et al. Extinction and polarization of radiation by absorbing spheroids: shape/size effects and benchmark results. *JQSRT* 2000;65:877–93.
- Wall DJN. Methods of overcoming numerical instabilities associated with the T -matrix method. In: Varadan VK, Varadan VV., editors. *Acoustic, electromagnetic and elastic wave scattering—focus on the T -matrix approach*. New York: Pergamon Press; 1980. p. 269–86.
- Wang D-S, Barber PW. Scattering by inhomogeneous nonspherical objects. *Appl Opt* 1979;18:1190–7.
- Wang YM, Chew WC. A recursive T -matrix approach for the solution of electromagnetic scattering by many spheres. *IEEE Trans Antennas Propag* 1993;41:1633–9.
- Wang D-S, Chen HCH, Barber PW, Wyatt PJ. Light scattering by polydisperse suspensions of inhomogeneous nonspherical particles. *Appl Opt* 1979;18:2672–8.
- Wang D-S, Kerker M, Chew HW. Raman and fluorescent scattering by molecules embedded in dielectric spheroids. *Appl Opt* 1980;19:2315–28.
- Wang ZL, Hu L, Lin WG. A modified T -matrix formulation for multiple scattering of electromagnetic waves. *J Phys D: Appl Phys* 1994;27:447–51.
- Wang J, Liu X, Christopher SA. et al. The effects of non-sphericity on geostationary satellite retrievals of dust aerosols. *Geophys Res Lett* 2003;30:2293.
- Wannemacher R, Pack A, Quinten M. Resonant absorption and scattering in evanescent fields. *Appl Phys B* 1999;68:225–32.
- Warner C. Effects of shape and orientation of spheroidal raindrops on microwave scattering. *Electron Lett* 1975;11:328–30.
- Warner C, Hizal A. Scattering and depolarization of microwaves by spheroidal raindrops. *Radio Sci* 1976;11:921–30.
- Waterman PC. Matrix formulation of electromagnetic scattering. *Proc IEEE* 1965;53:805–12.
- Waterman PC. Scattering by dielectric obstacles. *Alta Frequenza (Speciale)* 1969;38:348–52.
- Waterman PC. Symmetry, unitarity, and geometry in electromagnetic scattering. *Phys Rev D* 1971;3:825–39.
- Waterman PC. Numerical solution of electromagnetic scattering problems. In: Mittra R., editor. *Computer techniques for electromagnetics*. Oxford: Pergamon Press; 1973. p. 97–157.
- Waterman PC. Matrix methods in potential theory and electromagnetic scattering. *J Appl Phys* 1979;50:4550–66.
- Waterman PC. Survey of T -matrix methods and surface field representations. In: Varadan VK, Varadan VV., editors. *Acoustic, electromagnetic and elastic wave scattering—focus on the T -matrix approach*. New York: Pergamon Press; 1980. p. 61–78.
- Waterman PC. Analytical consequences of the extended boundary condition. *Wave Motion* 1983;5:273–95.
- Waterman PC. Surface fields and the T matrix. *J Opt Soc Am A* 1999;16:2968–77.
- Waterman PC, Pedersen NE. Electromagnetic scattering by periodic arrays of particles. *J Appl Phys* 1986;59:2609–18.
- Wauben WM, de Haan JF, Hovenier JW. Influence of particle shape on the polarized radiation in planetary atmospheres. *JQSRT* 1993;50:237–46.
- West R, Gibbs D, Tsang L, Fung AK. Comparison of optical scattering experiments and the quasi-crystalline approximation for dense media. *J Opt Soc Am A* 1994;11:1854–8.
- Whitney BA, Wolff MJ. Scattering and absorption by aligned grains in circumstellar environments. *Astrophys J* 2002;574:205–31.
- Wiedner M, Prigent C, Pardo JR. et al. Modeling of passive microwave responses in convective situations using output from mesoscale models: comparison with TRMM/TMI satellite observations. *J Geophys Res* 2004;109:D06214.
- Wielgaard DJ, Mishchenko MI, Macke A, Carlson BE. Improved T -matrix computations for large nonabsorbing and weakly absorbing nonspherical particles and comparison with geometrical-optics approximation. *Appl Opt* 1997;36:4305–13.

- Wind MM, Vlieger J, Bedeaux D. The polarizability of a truncated sphere on a substrate I. *Physica A* 1987a;141:33–57.
- Wind MM, Bobbert PA, Vlieger J, Bedeaux D. The polarizability of a truncated sphere on a substrate II. *Physica A* 1987b;143:164–82.
- Wind MM, Bobbert PA, Vlieger J, Bedeaux D. The polarizability of truncated spheres and oblate spheroids on a substrate: comparison with experimental results. *Thin Solid Films* 1988;164:57–62.
- Wirth M, Tsias A, Dörnbrack A. et al. Model-guided Lagrangian observation and simulation of mountain polar stratospheric clouds. *J Geophys Res* 1999;104:23971–81.
- Wiscombe WJ, Mugnai A. Single scattering from nonspherical Chebyshev particles: a compendium of calculations. NASA Ref. Publ. NASA RP-1157, 1986.
- Wiscombe WJ, Mugnai A. Scattering from nonspherical Chebyshev particles. 2. Means of angular scattering patterns. *Appl Opt* 1988;27:2405–21.
- Wittmann RC. Spherical wave operators and the translation formulas. *IEEE Trans Antennas Propag* 1988;36:1078–87.
- Wolff MJ, Clancy RT. Constraints on the size of Martian aerosols from Thermal Emission Spectrometer observations. *J Geophys Res* 2003;108:5097.
- Wong MH, Bjoraker GL, Smith MD. et al. Identification of the 10- μm ammonia ice feature on Jupiter. *Planet Space Sci* 2004;52:385–95.
- Wriedt T. Using the *T*-matrix method for light scattering computations by non-axisymmetric particles: superellipsoids and realistically shaped particles. *Part Part Syst Charact* 2002;19:256–68.
- Wriedt T, Comberg U. Comparison of computational scattering methods. *JQSRT* 1998;60:411–23.
- Wriedt T, Doicu A. Comparison between various formulations of the extended boundary condition method. *Opt Commun* 1997;142:91–8.
- Wriedt T, Doicu A. Light scattering from a particle on or near a surface. *Opt Commun* 1998a;152:376–84.
- Wriedt T, Doicu A. Formulations of the extended boundary condition method for three-dimensional scattering using the method of discrete sources. *J Mod Opt* 1998b;45:199–213.
- Wriedt T, Doicu A. Scattering analysis of conducting axisymmetric particles using the extended boundary condition method with discrete sources. *J Mod Opt* 1998c;45:2207–15.
- Wriedt T, Doicu A. *T*-matrix method for light scattering from a particle on or near an infinite surface. In: Moreno F, González F., editors. *Light scattering from microstructures*. Berlin: Springer; 2000. p. 113–32.
- Wurm G, Schnaiter M. Coagulation as unifying element for interstellar polarization. *Astrophys J* 2002;567:370–5.
- Xing Zh-f, Greenberg JM. Efficient method for the calculation of mean extinction. II. Analyticity of the complex extinction efficiency of homogeneous spheroids and finite cylinders. *Appl Opt* 1994a;33:5783–95.
- Xing Zh-f, Greenberg JM. Efficient method for the calculation of mean extinction. III. Approximation or representation of particle-size distributions by rational functions. *J Opt Soc Am A* 1994b;11:657–70.
- Xu Y-l. Electromagnetic scattering by an aggregate of spheres. *Appl Opt* 1995;34:4573–88.
- Xu Y-l. Calculation of the addition coefficients in electromagnetic multisphere-scattering theory. *J Comput Phys* 1996a;127:285–98 (Erratum: 1997;134:200).
- Xu Y-l. Fast evaluation of the Gaunt coefficients. *Math Comput* 1996b;65:1601–12.
- Xu Y-l. Electromagnetic scattering by an aggregate of spheres: far field. *Appl Opt* 1997a;36:9496–508.
- Xu Y-l. Fast evaluation of Gaunt coefficients: recursive approach. *J Comput Appl Math* 1997b;85:53–65.
- Xu Y-l. Electromagnetic scattering by an aggregate of spheres: asymmetry parameter. *Phys Lett A* 1998a;249:30–6.
- Xu Y-l. Efficient evaluation of vector translation coefficients in multiparticle light-scattering theories. *J Comput Phys* 1998b;139:137–65.
- Xu Y-l. Scattering Mueller matrix of an ensemble of variously shaped small particles. *J Opt Soc Am A* 2003a;20:2093–105.
- Xu Y-l. Radiative scattering properties of an ensemble of variously shaped small particles. *Phys Rev E* 2003b;67:046620.
- Xu H-X. A new method by extending Mie theory to calculate local field in outside/inside of aggregates of arbitrary spheres. *Phys Lett A* 2003c;312:411–9.
- Xu H. Calculation of the near field of aggregates of arbitrary spheres. *J Opt Soc Am A* 2004;21:804–9.
- Xu Y-l, Gustafson BÅS. Experimental and theoretical results of light scattering by aggregates of spheres. *Appl Opt* 1997;36:8026–30.
- Xu Y-l, Gustafson BÅS. Comparison between multisphere light-scattering calculations: rigorous solution and discrete-dipole approximation. *Astrophys J* 1999;513:894–909 (Erratum: 1999;522:1206).
- Xu Y-l, Gustafson BÅS. A generalized multiparticle Mie-solution: further experimental verification. *JQSRT* 2001;70:395–419.

- Xu Y-I, Khlebtsov NG. Orientation-averaged radiative properties of an arbitrary configuration of scatterers. *JQSRT* 2003;79/80:1121–37.
- Xu Y-I, Wang RT. Electromagnetic scattering by an aggregate of spheres: theoretical and experimental study of the amplitude scattering matrix. *Phys Rev E* 1998;58:3931–48.
- Xu Y-I, Gustafson BÅS, Giovane F. et al. Calculation of the heat-source function in photophoresis of aggregated spheres. *Phys Rev E* 1999;60:2347–65.
- Yang P, Mlynczak MG, Wei H. et al. Spectral signature of ice clouds in the far-infrared region: single-scattering calculations and radiative sensitivity study. *J Geophys Res* 2003;108:4569.
- Yeh C, Woo R, Armstrong JW, Ishimaru A. Scattering by Pruppacher-Pitter raindrops at 30 GHz. *Radio Sci* 1982a;17:757–65.
- Yeh C, Colak S, Barber P. Scattering of sharply focused beams by arbitrarily shaped dielectric particles: an exact solution. *Appl Opt* 1982b;21:4426–33.
- Yilmaz S, Mamedov AM, Sahan H, Gunel G. Mie scattering in ferroelectrics with diffuse phase transitions. *Ferroelectrics* 2003;291:177–86.
- Zakharova NT, Mishchenko MI. Scattering properties of needlelike and platelike ice spheroids with moderate size parameters. *Appl Opt* 2000;39:5052–7.
- Zakharova NT, Mishchenko MI. Scattering by randomly oriented thin ice disks with moderate equivalent-sphere size parameters. *JQSRT* 2001;70:465–71.
- Zhao J-Q, Hu Y-Q. Bridging technique for calculating the extinction efficiency of arbitrary shaped particles. *Appl Opt* 2003;42:4937–45.
- Zhao L, Kelly KL, Schatz GC. The extinction spectra of silver nanoparticle arrays: influence of array structure on plasmon resonance wavelength and width. *J Phys Chem B* 2003;107:7343–50.
- Zheng W. The null field approach to electromagnetic scattering from composite objects: the case with three or more constituents. *IEEE Trans Antennas Propag* 1988;36:1396–400.
- Zheng W. Computation of complex resonance frequencies of isolated composite objects. *IEEE Trans Microwave Theory Tech* 1989;37:953–61.
- Zheng W, Ström S. The null field approach to electromagnetic scattering from composite objects: the case of concavo-convex constituents. *IEEE Trans Antennas Propag* 1989;37:373–83.
- Zheng W, Ström S. The null-field approach to electromagnetic resonance of composite objects. *Comput Phys Commun* 1991;68:157–74.
- Zhong Z, Patskovskyy S, Bouvrette P. et al. The surface chemistry of Au colloids and their interactions with functional amino acids. *J Phys Chem B* 2004;108:4046–52.
- Zrnić DS, Keenan TD, Carey LD, May P. Sensitivity analysis of polarimetric variables at a 5-cm wavelength in rain. *J Appl Meteorol* 2000;39:1514–26.
- Zvyagin AV, Goto K. Mie scattering of evanescent waves by a dielectric sphere. *J Opt Soc Am A* 1998;15:3003–8.
- Zurk LM, Tsang L, Ding KH, Winebrenner DP. Monte Carlo simulations of the extinction rate of densely packed spheres with clustered and nonclustered geometries. *J Opt Soc Am A* 1995;12:1772–81.
- Zurk LM, Tsang L, Winebrenner DP. Scattering properties of dense media from Monte Carlo simulations with application to active remote sensing of snow. *Radio Sci* 1996;31:803–19.